Drawn:

KJG

Checked:

JRM

Approved:

JHB

Date:

06/10/14

Scale:

1:8

Sheet: 1

T&S BRASS AND BRONZE WORKS, INC. 2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

B-0675

Item No.

Travelers Rest. SC: 800-476-4103 • Simi Valley. CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

Travelers rest, 60. 600 470 4105 - Oirii Valley,	7A. 000 425 0150 1 ax. 004 054 5510	- www.tobiaoo.com				
This Space for Architect/Engineer Approval	B-092	20				
Job NameDate	Vacu	um <u>/3</u> /8" NPT				
Model SpecifiedQuantity_	Break	ker Female Outlet				
Customer/Wholesaler	[95mm] — ± 1/8"					
Contractor	•	Female				
Architect/Engineer		Inlet				
Tee Handle & Mounting & Screw (Included) Hold Down Ring & Washer (Included) 1 1/4" [31mm] 2 7/16" [61mm] See Note) Adjustable From 4 7 [113mm to 178mm] W Closed, 1 3/8" to 3 1/8	B-0104 Wall Hook B-0068-R 68" Reinforced PVC Hose & Spray Valve w/ Extended Nozzle 3/8" 66mm Lat 1/8" 20 1/2" [521mm] When Raised For Cleaning When Raised For Cleaning 7/16" to 7" Then Valve Is "[35mm to Adjust 15 3/10] [386mm]	3/8" NPT Female Inlet 3/8" NPT Female Outlet 1/2" NPT Female Inlets (2) Wood Mounting Screws (Included) stable From 6" to 15 1/2" m to 394mm]				
79mm] When Valve	14 5	alve Is Closed				
Note: All Pedal Position Dimensions are Based on Minimum Recommended Mounting Height of 8 3/4" [222mm] Above Finished Floors.						
Product Specifications:	Il oogo Koy Stone Versum	Product Compliance:				
Bedpan Washer, Foot Valve Control, Integra Breaker & Spray Valve w/ Extended Nozzle	ASME A112.18.1 / CSA B125.1 NSF 61 Exempt (Non-Potable) ASSE 1001 (VB)					




T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

B-0675

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



ITEM NO.	SALES NO.	DESCRIPTION
1	002865-40	Extended Spray Wand
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	B-1350	Loose Key 1/2" NPT Angle Stop w/ Tee Handle & Screw
5	001019-45	Coupling Nut Washer
6	000763-20	Seat
7	166A	Service Stop Spindle w/ Tee Handle & Screw
8	B-0068-R	68" Reinforced PVC Hose
9	B-0929	Atmospheric Vacuum Breaker
10	B-0968	3/8" NPT Vacuum Breaker
11	B-0104	Wall Hook, 3/4-14 UN Male Outlet
12	B-0504-01	Wall Mount Double Pedal Valve w/ Angle Stops
13	B-1355	Loose Key 3/8" NPT Angle Stop w/ Tee Handle & Screw
14	010092-40	Nipple, 3/8" NPT x 4 1/4" Long
15	001605-45	Сар
16	B-0504	Wall Mount Double Pedal Valve



002432-45 T-Handle Screw



001802-45 T-Handle

Product Specifications:

Bedpan Washer, Foot Valve Control, Integral Loose Key Stops, Vacuum Breaker & Spray Valve w/ Extended Nozzle

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 Exempt (Non-Potable) ASSE 1001 (VB)

Drawn:	KJG	Checked:	JRM	Approved:	JHB	Date:	06/10/14	Scale:	NTS	Sheet: 2 of	f 2
Diawii.	1100	TOTICONCU.	OIXIVI	i ippiovou.	טו וט	Date.	00/10/17	Ocaic.	1410	JOHICCE. Z	

T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

B-0676

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com






T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

B-0676

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



	NO.	SALES NO.	DESCRIPTION
	1	002861-40	Bed Pan Spray Nozzle
	2	010476-45	#27 Washer
	3	B-1350	Loose Key 1/2" NPT Angle Stop w/ Tee Handle
	4	001019-45	Coupling Nut Washer
Ī	5	000763-20	Seat
	6	166A	Service Stop Spindle w/ Tee Handle & Screw
	7	B-0068-R	68" Reinforced PVC Hose
) [8	B-0929	Atmospheric Vacuum Breaker
	9	B-0968	3/8" NPT Vacuum Breaker
	10	B-0104	Wall Hook, 3/4-14 UN Male Outlet
	11	B-0504-01	Wall Mount Double Pedal Valve w/ Angle Stops
	12	B-1355	Loose Key 3/8" NPT Angle Stop w/ Tee Handle & Screw
	13	010092-40	Nipple, 3/8" NPT x 4 1/4" Long
	14	001605-45	Сар
) [15	B-0504	Wall Mount Double Pedal Valve

Î

002432-45 T-Handle Screw



001802-45 T-Handle

Product Specifications:

Bedpan Washer, Foot Valve Control, Integral Loose Key Stops, Vacuum Breaker & Extended Nozzle

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 Exempt (Non-Potable) ASSE 1001 (VB)

Drawn: KJG Checked: JRM Approved: JHB Date: 06/10/14 Scale: NTS Sheet: 2 of 2

T&S BRASS AND BRONZE WORKS, INC. 2 Saddleback Cove / P.O. Box 1088

Travelers Rest, SC 29690

Model No.

B-0676-54V

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800	-423-0150 • Fax: 864-834-351	8 • www.tsbras	s.com	
This Space for Architect/Engineer Approval Job NameDate Model SpecifiedQuantity Customer/Wholesaler Contractor Architect/Engineer		um Breaker mbly		3/8" NPT Female Outlet 3/8" NPT Female Inlet
Furnished w/ Tee Handle & Mounting Screw B-0054- 46" [116 w/ Exter		ok Outlet		3/8" NPT Female Inlet
wr	Piping Shown D Furnished by Ot 20 1/2" 521mm] nen Raised or Cleaning	otted to be thers		3/8" NPT Female Outlet -1/2" NPT Female Inlets
3" [76m] [222mm] (See Note) Adjustable from 4 7/16" to 7" [113mm to 178mm] when valve is closed. 1 3/8" to 3 1/8" [35mm to	f For Cleaning Adjus	table From 6" to 15 1/2"		Furnished w/ (2) Wood Mounting Screws
79mm] when valve is open Note: All pedal position dimensions are ba on Minimum Recommended mounting height 3/4" [222mm] above finished floors. Product Specifications:	sed — When V sed 14 5 ght of [363mi When V	m to 394mm alve Is Clos /16" to 15" m to 381mm /alve is Ope	sed -	Approved
Bed Pan Washer w/ Foot Valve Control, Integ Stops, Vacuum Breaker & Extended Nozzle		KJG	DMH	JHB
		Scale:	:8	Date: 02/23/12

Tes


T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

B-0676-54V

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



Product Specifications:
Bed Pan Washer w/ Foot Valve Control, Integral Loose Key Stops, Vacuum Breaker & Extended Nozzle w/ Vinyl Hose

Drawn Checked Approved
KJG DMH JHB
Scale: Date: 02/23/12