T&S BRASS AND BRONZE WORKS, INC. 2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

017493-45

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

		This Space for Architect/E	
		Job Name	
		Model Specified	Quantity
		Customer/Wholesaler	
		Contractor	
		Architect/Engineer	
	Water Resistant Faucet Sensor		1 13/16"
	Cable Connection	-	[46mm]
	(Remove Rubber Cap		[]
3/8 NPSM Male	to Connect Cable)	-	4.4/401
Manual Bypass			1 1/16" [27mm]
Outlet	1/2" NPSM Male Controlled Outlet—		[2711111]
	Controlled Outlet		∠Battery Storage
Removable			Compartment Access Cover
Strainer			Access Cover
			<u> </u>
Mixed Water Tee		₩ ₹	 2"
Fitting with Integral Strainer—			[51mm]
	N N		
	ONL		
1/2" NPSM Female Inlet 360°Swivel	M AUX		1
Coupling Nut		C SchaldPoint"	2"
			[51mm]
Integral Inlet Stop	sae		•
2 5 /0" × 4 2 /4 6" × 2" Door			<u> </u>
3 5/8" x 4 3/16" x 2" Deep [92mm x 106mm x 51mm]			
Control Module Box (Blue),		3 7/16"	ON/OFF Button
AC or DC Operated w/ (4) AA Batteries. Hardwire		[88mm]	
Cable Using Terminals on Back	<u> </u>	ـــــــــــــــــــــــــــــــــــــ	
Water Resistant Transformer Cable			
Connection Port			
(Remove Rubber Plug to Connect Cable)			
•		Duadwat Oamalia	
Product Specifications: ChekPoint Sensor Faucet Control	Module with Internal	Product Complia	IIIC E .
Flow Control Setting Switches & M	UL 1951		
(Blue Module Housing)			
Drawn: GEF Checked: D	MH Approved: JHB Da	te: 05/07/14 Scale:	1:4 Sheet: 1 of 2

T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

017493-45

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



- *Available Water Flow Control Selections:

- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
 Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
 Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

Product Specifications:						Product Compliance:							
ChekPoint Sensor Faucet Control Module with Internal Flow Control Setting Switches & Manual Bypass Tee (Blue Module Housing)						UL 1951							
Drawn:	GEF	Checked:	DMH	Approved:	JHB	Date:	05/07/14	Scale:	NTS	Sh	neet:	2 of	2