

Get the Best Deals on Elkay Parts & Products at Air Delights!

Shop Now!

## **Commercial Sinks**



Discover the professional's choice.<sup>™</sup>



# ELKAY

## Stainless Steel Sinks That Set **The Industry Standard**

When you think of commercial grade stainless steel sinks, the name Elkay most likely comes to mind. After all, we've been manufacturing quality stainless steel sinks for almost 90 years. And over those years, our engineering and manufacturing methods have continued to evolve... and have continued to set the industry standard.

From our food service and utility sinks, to our lavatory, scrub and hand wash models, Elkay's ongoing commitment to superior quality, styling and functionality is quite evident. Nearly a century of experience at forming,



welding, trimming and polishing goes into every sink we make. And the breadth of our line allows you to select from features, sizes and gauges based on your specific applications and needs. In addition, Elkay stainless steel finishes provide superior bacterial cleanability and are easy to sanitize compared to other sink materials, which is very important in most commercial applications.

From healthcare facilities, schools and stadiums... to restaurants, airports and office buildings, Elkay has the ideal sink for all of the required applications throughout the facility. To find the Elkay sink that's right for you, simply go to the section of this catalog that best describes your type of installation. Our most popular models are identified in large green type.

Table of Contents	Page
Food Service	3-7
Lavatory	8-12
Scrub and Handwash	13-22
Service and Utility	23-28
Classroom	29-36
General Use	37-41
Custom	42-43
Faucets	44-45
Fittings / Accessories	46-50
Scullery Non Standard Hole Confi	gurations 51



Elkay uses only the highest quality 300 Series stainless steel to help ensure long-lasting performance.



Almost 90 years of experience at forming, welding, trimming and polishing goes into every Elkay sink.

## The Elkay Difference

Furnished with wall hanger and support brackets to make installation easier

- Uniform satin finish on exposed surfaces enhances the sinks appearance, provides superior cleanability and makes sanitation easy.
- Coved corners provide increased styling and making cleaning easier
- High quality, Type 304 stainless steel won't crack, chip or peel and ensures long-lasting durability

Underside is sound deadened for quiet operation

Note: Most Elkay Commercial Stainless Steel Sinks include the above features (see descriptions specific to each sink family throughout this catalog). Most can also be ordered complete, with an Elkay Faucet. In addition to the faucets shown in this catalog, Elkay offers a model for virtually any application. To learn more please see our full line **Commercial Faucets Catalog.** 

Member of USBC Green Building Council



(NSF) For Food Service Application

Visit us at elkayusa.com for most current warranty information.



Elkay **Food Service Sinks** are designed to withstand the heavy-duty requirements of commercial kitchens in schools, hospitals and retirement homes, as well as restaurants. With our large selection of Weldbilt® and Rigidbilt® free-standing scullery sinks, you can count on Elkay to have the right sink for virtually any commercial kitchen application, including food preparation and dishwashing.

# Get the Best Deals on ELKAY Sinks at Air Delights!



# ELKAY

## Weldbilt. Single Compartment Scullery Sinks

- Superior quality 14 gauge, Type 304 stainless steel
- Designed to withstand the heavy duty requirements
- of hotel, restaurant, cafeteria and other commercial kitchens Sink compartments are welded 1/4" radius coved
- corner construction, ground smooth for easy cleaningChannel rim design with 2" apron, slanting sanitary
- turnunder, and inward sloping rim to minimize spillage 8" high, full length sloped backsplash resists grime and is 0" thigh to allow far plugghing.
- and is 2" thick to allow for plumbing Sink polished to a uniform lustrous satin finish
- Drainboard and sink compartments pitched to drain
- 3-1/2" drain opening centered in each compartment
- Stainless steel tubular legs, 1-5/8" O.D. with up to 1" adjustable bullet shaped stainless steel feet
- Carries NSF International certification



Model Number		tment Si Width	ize (inches) Depth	Overall S Length	ize (inches) Width	24" Drainboard	Shipping WT. LBS.
	•	SINGL	E COM	PARTMI	ENT		
WNSF81242	24	24	14	27	27-1/2	None	80
WNSF8124R2	24	24	14	49-1/2	27-1/2	Right	105
WNSF8124L2	24	24	14	49-1/2	27-1/2	Left	105
WNSF8124LR2	24	24	14	72	27-1/2	Left & Right	190
WNSF81302	30	24	14	33	27-1/2	None	90
WNSF8130R2	30	24	14	55-1/2	27-1/2	Right	115
WNSF8130L2	30	24	14	55-1/2	27-1/2	Left	115
WNSF8130LR2	30	24	14	78	27-1/2	Left & Right	175
WNSF81362	36	24	14	39	27-1/2	None	100
WNSF8136R2	36	24	14	61-1/2	27-1/2	Right	120
WNSF8136L2	36	24	14	61-1/2	27-1/2	Left	120
WNSF8136LR2	36	24	14	84	27-1/2	Left & Right	210



WNSF81242

WNSF8124L2



For non-standard hole configuration see page 51.

#### Optional Detachable Drainboard Model SSD24

Stainless steel, #14 gauge, Type 304. Specially designed cantilever bracket support. Readily removable without tools. Meets sanitary code requirements. Stock size, 24" long. May be used right or left. Ship Wt. 30 lbs.



# Get the Best Deals on ELKAY Sinks at Air Delights!





Shop Now!



WNSF8230LR2



WNSF8230L2



WNSF82422

WNSF8260R2

	I.						I
	Compart	ment Si	<b>ZE</b> (inches)	Overall Si	Ze (inches)	24"	Shipping
Model Number	Length	Width	Depth	Length	Width	Drainboard	WT. LBS.
		DOUBI		<b>IPARTM</b>	ENT		
WNSF82302	15	24	14	33	27-1/2	None	95
WNSF8230R2	15	24	14	55-1/2	27-1/2	Right	120
WNSF8230L2	15	24	14	55-1/2	27-1/2	Left	120
WNSF8230LR2	15	24	14	78	27-1/2	Left & Right	200
WNSF82362	18	24	14	39	27-1/2	None	105
WNSF8236R2	18	24	14	61-1/2	27-1/2	Right	130
WNSF8236L2	18	24	14	61-1/2	27-1/2	Left	130
WNSF8236LR2	18	24	14	84	27-1/2	Left & Right	215
WNSF82422	21	24	14	45	27-1/2	None	150
WNSF82482	24	24	14	51	27-1/2	None	120
WNSF8248R2	24	24	14	73-1/2	27-1/2	Right	200
WNSF8248L2	24	24	14	73-1/2	27-1/2	Left	200
WNSF8248LR2	24	24	14	96	27-1/2	Left & Right	225
WNSF82542	27	24	14	57	27-1/2	None	130
WNSF8254R2	27	24	14	79-1/2	27-1/2	Right	215
WNSF8254L2	27	24	14	79-1/2	27-1/2	Left	215
WNSF8254LR2	27	24	14	102	27-1/2	Left & Right	245
WNSF82602	30	24	14	63	27-1/2	None	140
WNSF8260R2	30	24	14	85-1/2	27-1/2	Right	225
WNSF8260L2	30	24	14	85-1/2	27-1/2	Left	225
WNSF8260LR2	30	24	14	108	27-1/2	Left & Right	270

For non-standard hole configuration see page 51.

# Get the Best Deals on ELKAY Sinks at Air Delights!

# ELKAY

Weldbilt. Triple Compartment Scullery Sinks



Model Number		ment Si Width	ze (inches) Depth	Overall Si Length	ize (inches) Width	24" Drainboard	Shipping WT. LBS.
		TRIPL	E COM	PARTM	ENT		
WNSF83454	15	24	14	48	27-1/2	None	125
WNSF8345R4	15	24	14	70-1/2	27-1/2	Right	150
WNSF8345L4	15	24	14	70-1/2	27-1/2	Left	150
WNSF8345LR4	15	24	14	93	27-1/2	Left & Right	240
WNSF83544	18	24	14	57	27-1/2	None	140
WNSF8354R4	18	24	14	79-1/2	27-1/2	Right	170
WNSF8354L4	18	24	14	79-1/2	27-1/2	Left	170
WNSF8354LR4	18	24	14	102	27-1/2	Left & Right	255
WNSF83604	20	24	14	63	27-1/2	None	160
WNSF8360LR4	20	24	14	108	27-1/2	Left & Right	280
WNSF83724	24	24	14	75	27-1/2	None	230
WNSF8372R4	24	24	14	97-1/2	27-1/2	Right	255
WNSF8372L4	24	24	14	97-1/2	27-1/2	Left	255
WNSF8372LR4	24	24	14	120	27-1/2	Left & Right	305



WNSF8345L4



WNSF83544

For non-standard hole configuration see page 51.

# Get the Best Deals on ELKAY Sinks at Air Delights!





WNSF8372R4





Model Number

## **RIGIDBILT.** Scullery Sinks

- 16 gauge Type 304 stainless steel
- Large die-drawn sink compartments pitched to drain
- Seamless drawn 3-1/2" radius coved corners
- Exposed surfaces blended into a lustrous satin finish
- Steel channel reinforced drainboards have a conical shaped pitch for drainage
- Optional undercoating provides a sound and condensation barrier
- 8" high, full length backsplash with 45° slope top to resist dirt and grime
- Backsplash is 2" thick to allow for plumbing
- Channel rim design with 1" apron, has inward sloping rim to minimize spillage
- 3-1/2" drain opening centered in each compartment

18"

Drainboard WT. LBS.

Shipping

89

127

95

149

129

174

157

200

168

211

193

239

- Stainless steel tubular legs with cross-brace supports, 1-5/8" O.D. with up to 1" adjustable bullet shaped stainless steel feet
- Carries NSF International certification

Length Width



Compartment Size (inches) Overall Size (inches)



RNSF82362







Length Width Depth



RNSF8354LR4

## Get the Best Deals on ELKAY Sinks at Air Delights!



Elkay **Lavatory Sinks** for wash-up applications are available in a variety of styles and sizes. Select from rectangular, oval and wheelchair accessible models, all crafted from Type 304 stainless steel in the Elkay tradition. Elkay's lavatory product offering also includes stainless steel multi-station urinals that are ideal for men's commercial restrooms in high-traffic facilities, such as stadiums and schools.

## Get the Best Deals on ELKAY Sinks at Air Delights!





#### **Rectangular Compartment** Wash-Up Lavatory Sinks

- 18 gauge, Type 304 stainless steel
- 1-3/4" coved corners
- 2-1/2" high backsplash
- 2-1/2" apron front and sides
- Front and side decks with raised rim
- Exposed surfaces hand-blended to a uniform lustrous satin finish
- Sound absorbing pads applied to dampen sound
- Rear centered outlet
- 1-5/8" drain opening Furnished with wall hanger and integral stainless
- steel support brackets Meets ADA requirements
- Carries NSF International certification





ELV2219SACC




**ELV2219CS3** 



ELVWO2219SACC





Dimensions for all listed units (inches)								
OVERA	LL SIZE	BASIN						
LENGTH	WIDTH	LENGTH	WIDTH	DEPTH				
22	19	16	11-1/2	5-1/2				







#### **Oval Compartment** Wash-Up Lavatory Sinks

- 18 gauge. Type 304 stainless steel.
- Anti-splash rim
- 5-1/2" high Backsplash
- 2" wide Apron

Ż

- Exposed surfaces hand blended to a uniform lustrous satin finish
- Undercoated for maximum sound deadening
- 1-5/8" drain opening
- Furnished with stainless steel wall support brackets
- Meets ADA requirements



ELV18173

Model Number	Description	Shipping WT. LBS.
ELV18173	Sink Only - (3) 1-1/2" faucet holes on 4" centers	17
ELV1817CS3	Sink Only - (3) 1-1/4" faucet holes on 2" centers	17
ELV 1017C33	SILK OTILY - (5) 1-174 TAUCEL HOTES OT 2 CETILETS	17

Dimensions for all listed units (inches)								
OVERA	LL SIZE	BASIN						
LENGTH	WIDTH	LENGTH	WIDTH	DEPTH				
18	17	13-5/8	10-1/8	5-13/16				



ELV1817CS3

# Get the Best Deals on ELKAY Sinks at Air Delights!



## Wheelchair Wash-Up Lavatory Sinks

WCL1923OSDC

■ 18 gauge, Type 304 stainless steel

- Uniform lustrous satin finish
- 1-3/4" coved corners
- 2-1/2" apron, front and sides
- 2-1/2" high backsplash
- Wide top deck with raised rim
- Sound absorbing pads applied to dampen sound
- Rear centered outlet
- 1-5/8" drain opening
- Sinks with overflow include LKAD174 drain
- Sinks without overflow include LKAD174LO drain
- Furnished with wall hangers and integral stainless steel support brackets
- Meets ADA requirements
- Carries NSF International certification





WCL1923OSDSACC



WCL1923OSD3



WCLWO1923OSDSACTMC



Package Detail' Shipping Model Number Handle WT. LBS. Faucet Power Mixing Valve WITHOUT OVERFLOW WCL1923OSDC LKD232SBH5 5" Wristblade 22 -WCL1923OSDSACC AC/Battery LKB721C Sensor 25 WCL1923OSDSACMC LKB721C Sensor AC/Battery Mechanical 26 WCL1923OSDSACTMC LKB721C Sensor AC/Battery Thermostatic 27 WCL1923OSD1 Sink Only -1 faucet hole 17 WCL1923OSD3 Sink Only - (3) 1-1/2" faucet holes on 4" centers 17 WITH OVERFLOW WCLWO1923OSDC LKD232SBH5 5" Wristblade 24 WCLWO1923OSDSACC LKB721C AC/Battery Sensor 27 WCLWO1923OSDSACMC Sensor AC/Batterv LKB721C Mechanical 28 WCLWO1923OSDSACTMC LKB721C Sensor AC/Battery Thermostatic 29 WCLWO1923OSD1 Sink Only - 1 faucet hole 19 WCLWO1923OSD3 Sink Only - (3) 1-1/2" faucet holes on 4" centers 19

Dimensions for all listed units (inches)								
OVERA	LL SIZE	BASIN						
LENGTH	WIDTH	LENGTH	WIDTH	DEPTH				
19	23	13-1/2	16	4				

## Get the Best Deals on ELKAY Sinks at Air Delights!



LAVATORY



### **Multiple Station Urinals** With Exposed Flush Pipe

- 14 gauge, Type 304 stainless steel
- Welded seamless 1/4" coved corners
- Full length sloping backsplash with flush pipe
- 1-1/2" wide top channel rims with
   2" flat front apron
- Slanted front
- Exposed surfaces polished to a satin finish
- Undercoated for maximum sound deadeningFurnished with continuous length wall hanger and
- integral stainless steel mounting brackets
- LK177 strainer included
- Will not crack, chip or discolor
- Easy to clean and sanitize
- Designed for use with any water control-flush valve, time valve, or tank
- Watercontrol valve and trap not included



Model Number	Overa Length	all Size (i Width	nches) Depth	Backsplash Height (inches)	No. of Drains	Shipping WT. LBS.
EU4814C	48	14	8	8	1	61
EU6014C	60	14	8	8	1	71

## **Multiple Station Urinals** With Integral Hood

• Same features as above but with integral hood to conceal flush pipe



Model Number	Overa Length	all Size <i>(i</i> Width	nches) Depth	Backsplash Height (inches)	No. of Drains	Shipping WT. LBS.
EUH4814C	48	14	8	8	1	67
EUH6014C	60	14	8	8	1	75





Elkay **Scrub and Handwash Sinks** are designed specifically for healthcare applications, including hospitals, medical clinics, dental facilities and doctor's offices. Our offering consists of surgeon's lavatories. scrub-up sinks and wash sinks, including a variety of models equipped with sensor faucets, or knee and foot pedal valves, for the ultimate in hands-free, sanitary activation. Plus, our stainless steel sinks provide superior bacterial cleanability compared to other materials.

# Get the Best Deals on ELKAY Sinks at Air Delights!





- 16 gauge, Type 304 stainless steel
- Integral instrument trays
- 1-3/4" coved corners
- Exposed surfaces are hand-blended to a uniform lustrous satin finish
- Undercoated for maximum sound deadening
- 2" drain opening
- Models with faucets include LK9 grid drain fitting
- Furnished with stainless steel support brackets
- Mount 1-1/2" from wall

OVERALL SIZE

WIDTH

20

LENGTH

28

- Easy to clean and sanitize
- Will not crack, chip or discolor



		Package D	Detail*		Shipping			
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.			
ESLV2820W4C	LK800GN05T4	4" Wristblade	-	-	37			
ESLV2820W6C	LK800GN05T6	6" Wristblade	-	-	37			
ESLV2820SACC	LKB721C	Sensor	AC/Battery	-	39			
ESLV2820SACMC	LKB721C	Sensor	AC/Battery	Mechanical	40			
ESLV2820SACTMC	LKB721C	Sensor	AC/Battery	Thermostatic	41			
ESLV2820FC	LK396A	LK398C	Foot	-	42			
ESLV2820KC	LK396A	LK397C	Knee	-	47			
ESLV28201		Sink Only - 1 faucet hole						
ESLV28203	Sink Only -	(3) 1-1/2" fauc	et holes on 4	4" centers	30			

**BASIN SIZE** 

12

DEPTH

7-1/2

LENGTH WIDTH

14



ESLV28203



ESLV2820SACMC





# Get the Best Deals on ELKAY

Sinks at Air Delights!

Shop Now!

INSTRUMENT TRAY SIZE

14

LENGTH

3-3/4

WIDTH DEPTH

1-1/2





## Wall Scrub-Up Sinks

- 14 gauge, Type 304 stainless steel
- 1-3/4" radius coved corners
- 1-1/2" rolled rims
- Full length 6" high backsplash • Exposed surfaces are hand-blended to a uniform lustrous satin finish
- Undercoated for maximum sound deadening
- 3-1/2" drain opening
- Furnished with wall hanger and stainless steel support brackets
- Easy to clean and sanitize
- Will not crack, chip or discolor

EWS2520W4C



EWS25202



EWS3120KC



EWS3120SBC

		Package D	)etail*		Shipping		
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.		
	25	INCH SIN	KS				
EWS2520W4C	LK940GN05T4H	4" Wristblade	-	-	46		
EWS2520W6C	LK940GN05T6H	6" Wristblade	-	-	47		
EWS2520SACC	LKB722C	Sensor	AC/Battery	-	50		
EWS2520SACMC	LKB722C	Sensor	AC/Battery	Mechanical	51		
EWS2520SACTMC	LKB722C	Sensor	AC/Battery	Thermostatic	52		
EWS2520FC	LK395A	LK398C	Foot	-	52		
EWS2520KC	LK395A	LK397C	Knee	-	57		
EWS25201		Sink Only - 1 faucet hole					
EWS25202		Sink Only - 2	faucet holes		40		

Dimensions for all listed units (inches)				
OVERALL SIZE				
LENGTH	WIDTH	LENGTH	WIDTH	DEPTH
25	19-1/2	22	16	10-1/2

	Package Detail*				Shipping
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.
	31	INCH SIN	KS		
EWS3120W4C	LK940GN05T4H	4" Wristblade	-	-	56
EWS3120W6C	LK940GN05T6H	6" Wristblade	-	-	57
EWS3120SACC	LKB722C	Sensor	AC/Battery	-	60
EWS3120SACMC	LKB722C	Sensor	AC/Battery	Mechanical	61
EWS3120SACTMC	LKB722C	Sensor	AC/Battery	Thermostatic	62
EWS3120FC	LK395A	LK398C	Foot	-	62
EWS3120KC	LK395A	LK397C	Knee	-	67
EWS31201		50			
EWS31202		Sink Only - 2 f	aucet holes		50

Dimensions for all listed units (inches)				
OVERA	LL SIZE		BASIN	
LENGTH	WIDTH	LENGTH	WIDTH	DEPTH
31	19-1/2	28	16	10-1/2

# Get the Best Deals on ELKAY Sinks at Air Delights!

Shop Now!



## Hand Wash-Up Wall Mount

- Type 304 stainless steel basin
- 1-3/4" radius coved corners
- Full length 7" high backsplash with 45° angle sloped top
- Exposed surfaces have a brushed finish
- 2" drain opening
- Models with faucets include LK8 grid drain fitting with 1-1/2" O.D. tailpiece and LK500 satin chrome cast brass "P" trap with clean out
- Will not chip, crack or discolor
- Easy to clean and sanitize
- Furnished with hanger and integral stainless steel support brackets
- Carries NSF International certification



		Shipping			
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.
CHS1716C	LK940GN04L2H	2" Lever	-	-	18
CHS1716SACC	LKB722C	Sensor	AC/Battery	-	23
CHS1716SACMC	LKB722C	Sensor	AC/Battery	Mechanical	24
CHS1716SACTMC	LKB722C	Sensor	AC/Battery	Thermostatic	25
CHS17161	S	12			
CHS17162	Si	nk Only - 2	faucet holes		12

Dimensions for all listed units (inches)				
OVERALL SIZE				
LENGTH	WIDTH	LENGTH	WIDTH	DEPTH
16-3/4	15-1/2	12	9-1/4	6





CHS1716C

CHS17162

CHS1716SACC

## Get the Best Deals on ELKAY Sinks at Air Delights!

Shop Now!





CHS1716LRS2

# Hand Wash-Up with Side Splashes

- Type 304 stainless steel basin
- 1-3/4" radius coved corners
- Full length 7" high backsplash with 45° angle sloped top
- Exposed surfaces have a brushed finish
- 2" drain opening
- Models with faucets include LK8 grid drain fitting with 1-1/2" O.D. tailpiece and LK500 satin chrome cast brass "P" trap with clean out
- Will not chip, crack or discolor
- Easy to clean and sanitizeFurnished with hanger and integral
- Furnished with hanger and integral stainless steel support brackets
- Carries NSF International certification





		Shipping			
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.
CHS1716LRSC	LK940GN04L2H	2" Lever	-	-	21
CHS1716LRSSACC	LKB722C	Sensor	AC/Battery	-	25
CHS1716LRSSACMC	LKB722C	Sensor	AC/Battery	Mechanical	26
CHS1716LRSSACTMC	LKB722C	Sensor	AC/Battery	Thermostatic	27
CHS1716LRS1	Sink Only - 1 faucet hole			14	
CHS1716LRS2	Si	nk Only - 2	faucet holes	3	14



CHS1716LRSC

Dimensions for all listed units (inches)				
OVERALL SIZE		BASIN		
LENGTH	WIDTH	LENGTH	WIDTH	DEPTH
16-3/4	15-1/2	12	9-1/4	6

## Get the Best Deals on ELKAY Sinks at Air Delights!



# ELKAY

#### Hand Wash-Up **Pedestal Mount**

- Type 304 stainless steel basin
- 1-3/4" radius coved corners
- Full length 7" high backsplash with 45° angle sloped top
- Exposed surfaces have a brushed finish
- Will not chip, crack or discolor
- Easy to clean and sanitize

CHSP1716LRSC

CHSP1716LRSSACC

CHSP1716LRSSACMC

CHSP1716LRSSACTMC

OVERALL SIZE

LENGTH

16-3/4

Dimensions for all listed units (inches)

WIDTH

15-1/2

- 2" drain opening
- Includes LK8 grid drain fitting with 1-1/2" O.D. tailpiece and LK500 satin chrome cast brass "P" trap with clean out
- 36" floor to rim
- Carries NSF International certification





WITH SIDE SPLASHES LK399A

Sensor

Sensor

Sensor

DEPTH

6

BASIN

WIDTH

9-1/4

Foot

AC/Battery

AC/Battery

AC/Battery

\_

Mechanical

Thermostatic



CHSP1716SACC



CHSP1716LRSC

# Get the Best Deals on ELKAY Sinks at Air Delights!

LK395A

LKB722C

LKB722C

LKB722C

LENGTH

12



22

27

28

29





## Hand Wash-Up Wall Mount

- Type 304 stainless steel basin
- 1-3/4" radius coved corners
- Full length 7" high backsplash with 45° angle sloped top
- Inverted edge on sink rim
- Exposed surfaces have brushed finish
- 2" drain opening
- Model with faucet includes LKB8 drain
- Will not chip, crack or discolor
- Easy to clean and sanitize
- Furnished with hanger support bracket
- Carries NSF International certification



	Package Detail		Shipping
Model Number	Faucet Handle		WT. LBS.
CHSB1716C	LKB400	2" Lever	13.5
CHSB17162	Sink Only -	11.0	



CHSB1716C

CHSB17162

# Dimensions for all listed units (inches) OVERALL SIZE BASIN LENGTH WIDTH LENGTH WIDTH 16-3/4 15-1/2 12 9-1/4 6

# Get the Best Deals on ELKAY Sinks at Air Delights!





- 14 gauge, Type 304 stainless steel
- Right hand 30" drainboard
- 1/4" radius vertical and horizontal coved corners with 1-1/2" rolled rims
- Full length 8" backsplash with 45° sloped top
- Exposed surfaces are hand-blended to a uniform lustrous satin finish
- Will not crack, chip or discolor
- Easy to clean and sanitize
- 3-1/2" drain opening
- Furnished with wall hanger and stainless steel support brackets
- Models with faucets include LK18B stainless steel grid drain with 1-1/2" O.D. tailpiece
- Carries NSF International certification
- Model ESS4220R is less backsplash





	Package Detail*				Shipping	
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.	
WITH BACKSPLASH						
ESS4924RW4C	LK940GN08T4H	4" Wrist Blade	-	-	116	
ESS4924RW6C	LK940GN08T6H	6" Wrist Blade	-	-	117	
ESS4924RSACC	LKB722C	Sensor	AC/Battery	-	120	
ESS4924RSACMC	LKB722C	Sensor	AC/Battery	Mechanical	121	
ESS4924RSACTMC	LKB722C	Sensor	AC/Battery	Thermostatic	122	
ESS4924RFC	LK395A	LK398C	Foot	-	122	
ESS4924RKC	LK395A	LK397C	Knee	-	127	
ESS4924R1		Sink Only – 1 faucet hole				
ESS4924R2	Sink Only – 2 faucet holes				110	
	WITHO	UT BACKS	PLASH			
ESS4220R		Sink			100	



Dimens	sions for	all ESS49	24 mode	<b>Is</b> (inches)
OVERA	LL SIZE	COM	PARTMEN	<b>F SIZE</b>
LENGTH	WIDTH	LENGTH	WIDTH	DEPTH
49-1/2	24	18	20-1/2	10
Dimens	sions for	ESS4220F	(inches)	
42	20	17	17	6



ESS4924RKC

## Get the Best Deals on ELKAY Sinks at Air Delights!







Shinning



## **Multiple Station Wash Sinks**

- 14 gauge, Type 304 stainless steel
- 1/4" coved corners
- 1-1/2" wide inward sloping top channel rims, with 2" flat apron
- Full length 10" high backsplash
- Square rim corners
- Slanted front
- 3-1/2" drain opening
- LK18B drain included on "C" models
- Exposed surfaces are hand-blended to a uniform lustrous finish
- Furnished with wall hangers and stainless steel support brackets
- Will not chip, crack or discolor



	i dekage Detail				Shipping
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.
	48 INCH	<b>TWO STA</b>	TION		
EWMA4820C	(2) LK940GN05T4H	4" Wristblade	-	-	87
EWMA4820SACC	(2) LKB722C	Sensor	AC/Battery	-	93
EWMA4820SACMC	(2) LKB722C	Sensor	AC/Battery	(2) Mechanical	94
EWMA4820SACTMC	(2) LKB722C	Sensor	AC/Battery	(2) Thermostatic	95
EWMA48202	Sink Only - 2 faucet holes				75
EWMA48204		Sink Only - 4 f	aucet holes		75

Dimensions for all listed units (inches)				
OVERALL SIZE				
LENGTH	WIDTH	DEPTH		
48	20	8		

	*
F	EWMA4820SACTMC



		Shipping				
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.	
	60 INCH 1	THREE ST	ATION			
EWMA6020C	(3) LK940GN05T4H	4" Wristblade	-	-	106	
EWMA6020SACC	(3) LKB722C	Sensor	AC/Battery	-	114	
EWMA6020SACMC	(3) LKB722C	Sensor	AC/Battery	(3) Mechanical	115	
EWMA6020SACTMC	(3) LKB722C	Sensor	AC/Battery	(3) Thermostatic	116	
EWMA60203	Sink Only - 3 faucet holes					
EWMA60206		Sink Only - 6	faucet holes		89	



Dimensions for all listed units (inches)						
OVERALL SIZE						
LENGTH	WIDTH	DEPTH				
60	20	8				

#### Get the Best Deals on ELKAY Sinks at Air Delights!

Shop Now!



		Shipping			
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.
	72 INCH 1	THREE ST	ATION		
EWMA7220C	(3) LK940GN05T4H	4" Wristblade	-	-	119
EWMA7220SACC	(3) LKB722C	Sensor	AC/Battery	-	127
EWMA7220SACMC	(3) LKB722C	Sensor	AC/Battery	(3) Mechanical	128
EWMA7220SACTMC	(3) LKB722C	(3) Thermostatic	129		
EWMA72203	Ç	102			
EWMA72206	C C	Sink Only - 6 fa	aucet holes		102

Dimensions for all listed units (inches)						
OVERALL SIZE						
LENGTH	WIDTH	DEPTH				
72	20	8				
72	20	8				



	A/B/		COL	20
	WN	IAS	020	JO
_			_	_

		Shipping			
Model Number	Faucet	Handle	Power	Mixing Valve	WT. LBS.
	96 INCH	FOUR STA	TION		
EWMA9620C	(4) LK940GN05T4H	4" Wristblade	-	-	152
EWMA9620SACC	(4) LKB722C	Sensor	AC/Battery	-	163
EWMA9620SACMC	(4) LKB722C	Sensor	AC/Battery	(4) Mechanical	164
EWMA9620SACTMC	(4) LKB722C Sensor AC/Battery (4) Thermostatic				165
EWMA96204		130			
EWMA96208		Sink Only - 8	faucet holes		130

Dimensions for all listed units (inches)OVERALL SIZELENGTHWIDTHDEPTH96208

22

Note:

LK395A spout with knee or foot pedal valves can also be used with all EWMA stainless steel sinks. See page 47.

#### Get the Best Deals on ELKAY Sinks at Air Delights!





**Sensor-Operated** Wash Sinks

- 16 gauge, Type 304 stainless steel
- Slant-front design
- Keyed access door(s) to hide plumbing
- Coved corners
- 4" high full length backsplash
- Undercoated for maximum sound deadening
- Wall hanger
- Full enclosure
- Exposed surfaces are polished to a uniform lustrous finish
- 3-1/2" drain opening
- Models with faucets include LK18B drain



Removable Clear Acrylic Compartment Partition

	Overa	Overall Size (inches)		Package Detail*			Shipping	
Model Number	Length	Width	Depth	Faucet	Handle	Power	Mixing Valve	WT. LBS.
			SINGL	E COMPAR	TMENT			
EWSF13026SACC	30	23	26	LKB721C	Sensor	AC/Battery	LK723	96
EWSF130261	30	23	26		Sink Only -			85
	S	NGLE	COMP	ARTMENT A		PLIANT		
† EWSFAD13620SACC	36	20	24	LKB722C	Sensor	AC/Battery	-	115
† EWSFAD136201	36	23	26		Sink Only - 1	faucet hole		105
			DOUB	LE COMPAR	TMENT			
EWSF26026SACC	60	23	26	(2) LKB721C	Sensor	AC/Battery	(2) LK723	172
EWSF260262	60	23	24		Sink Only - 2 f	aucet holes		150
			TRIPL	E COMPAR	<b>FMENT</b>			
EWSF39026SACC	90	23	26	(3) LKB721C	Sensor	AC/Battery	(3) LK723	243
EWSF390263	90	23	26		Sink Only - 3 t	faucet holes		210

EWSFAD13620SACC



*†* These models are ADA compliant. \* Refer to pages 45-47 for complete descriptions of faucets and mixing valves.



Elkay **Service and Utility Sinks** are ideal for the heavy janitorial requirements in schools, hospitals, industrial facilities and office buildings. Designed to withstand abuse from buckets, mops and other maintenance equipment, Elkay service sinks will provide years of service. Our offering in this category also includes the *Sturdibilt*<sup>®</sup> line of scullery sinks, making our service and utility line-up one of the most versatile in the industry!

# Get the Best Deals on ELKAY Sinks at Air Delights!





## Wall Service Sinks

- 14 gauge, Type 304 stainless steel
- 1-3/4" coved corners
- 1-1/2" rolled rims
- Full length 12" high backsplash
- Exposed surfaces hand-blended to a uniform lustrous satin finish
- 3-1/2" drain opening
- Furnished with wall hanger and stainless steel support brackets
- Will not crack, chip or discolor
- LK173 cast iron "P" trap standard on "C" models



ESS2520C



		Package Detail*					
Model Number	Faucet	Handle	Spout	WT. LBS.			
ESS2118C	LK69C	Cross Arm	1 Plain / 1 Threaded Hose Outlet	59			
ESS2319C	LK69C	Cross Arm	1 Plain / 1 Threaded Hose Outlet	62			
ESS2520C	LK69C	Cross Arm	1 Plain / 1 Threaded Hose Outlet	63			
ESSB2118C	LK940BR03L2H	2" Lever	Threaded Hose w/ 3" Bucket Hook	61			
ESSB2319C	LK940BR03L2H	2" Lever	Threaded Hose w/ 3" Bucket Hook	65			
ESSB2520C	LK940BR03L2H	2" Lever	Threaded Hose w/ 3" Bucket Hook	66			
ESSW2118C	LKB940C	2" Lever	Threaded Hose w/ 7" Bucket Hook	63			
ESSW2319C	LKB940C	2" Lever	Threaded Hose w/ 7" Bucket Hook	67			
ESSW2520C	LKB940C	2" Lever	Threaded Hose w/ 7" Bucket Hook	68			
ESS21182	Sink Only - 2 faucet holes						
ESS23192		Sink Only - 2 f	aucet holes	41			
ESS25202		Sink Only - 2 f	aucet holes	42			

Dimensions for all 2118 listed units (inches)							
LENGTH	OVERALL SIZE           LENGTH         WIDTH           21         17-1/2		COMPARTMEN LENGTH WIDTH 18 14				
Dimensions for all 2319 listed units (inches)							
	<b>LL SIZE</b> WIDTH 18-1/2		PARTMEN WIDTH 15				
Dimension	s for all 2	520 listed	units (in	ches)			
OVERA LENGTH	LL SIZE WIDTH	COMF LENGTH	PARTMEN WIDTH				



SERVICE AND UTILITY



## Floor Service Sinks

- 16 gauge, Type 304 stainless steel
- Eliminates high lifting of heavy containers
- Fits into closet corners and limited work spaces
- 1-3/4" coved corners
- Apron on three sides
- Top has 5/32" raised rims
- Exposed surfaces are polished to a lustrous satin finish
- Sound absorbing pads applied to dampen sound
- Furnished with wall hanger and LK43 drain

# Get the Best Deals on ELKAY Sinks at Air Delights!

## Shop Now!



	Overall Siz	ze (inches)	Compartment Size (inches)			Shipping
Model Number	Length	Width	Length	Width	Depth	WT. LBS.
EFS2523C	25	23	20	18	8	42
EFS3321C	33	21	28	16	8	48

## **Back and Side Panels** For Floor Service Sinks

- For use on EFS model floor sinks
- 18 gauge, Type 304 stainless steel
- 1/2" returns on all sides
- Furnished with concealed wall hangers

Model Number	Overall Siz	ze (inches) Width	Fits Sink Model	Shipping WT. LBS.
EFSBP25	25	12	EFS2523C	7
EFSBP33	33	12	EFS3321C	9
EFSSP21	20-3/8	12	EFS3321C	4
EFSSP23	22-3/8	12	EFS2523C	5



Note: Faucets for floor sinks are featured on page 45. Accessories for floor sinks are featured on page 50.



## Sturdibilt Single Compartment **Scullery Sinks**

- 14 gauge, Type 304 stainless steel
- Square corner welded compartment construction
- Distinctive channel rim design with 2" apron minimizes spillover
- Straight line styling
- 8" high full length backsplash with 45° slope to resist grime
- 14" deep compartments
- Drainboard and sink compartments pitched to drain
- 3-1/2" drain opening
- Sink polished to a uniform lustrous satin finish
- Sink supported on (4) LK251 stainless steel adjustable tubular legs
- 1-5/8" O.D., with up to 1" adjustable bullet shaped stainless steel feet

#### SS81242





## Get the Best Deals on ELKAY Sinks at Air Delights!

	Compartn	nent Siz	e (inches)	<b>Overall Si</b>	<b>ZE</b> (inches)	24"	Shipping
Model Number	Length	Width	Depth	Length	Width	Drainboard	WT. LBS.
		SINGL	E CON	IPARTME	ENT		
SS81242	24	24	14	27	27-1/2	None	80
SS8124R2	24	24	14	49-1/2	27-1/2	Right	105
SS8124L2	24	24	14	49-1/2	27-1/2	Left	105
SS8124LR2	24	24	14	72	27-1/2	Left & Right	190
SS81302	30	24	14	33	27-1/2	None	90
SS8130R2	30	24	14	55-1/2	27-1/2	Right	115
SS8130L2	30	24	14	55-1/2	27-1/2	Left	115
SS8130LR2	30	24	14	78	27-1/2	Left & Right	175
SS81362	36	24	14	39	27-1/2	None	100
SS8136R2	36	24	14	61-1/2	27-1/2	Right	120
SS8136L2	36	24	14	61-1/2	27-1/2	Left	120
SS8136LR2	36	24	14	84	27-1/2	Left & Right	210

For non-standard hole configuration see page 51.

**Optional Detachable** drainboard Model SSD24 Stainless steel, #14 gauge,

cantilever bracket support.

Ship Wt. 30 lbs.







# Get the Best Deals on ELKAY Sinks at Air Delights!



**Sturdibilt** Double Compartment Scullery Sinks



Model Number	Compartn Length		e (inches) Depth	Overall Si Length	ze (inches) Width	24" Drainboard	Shipping WT. LBS.
		DOUB		<b>IPARTM</b>	ENT		
SS82302	15	24	14	33	27-1/2	None	95
SS8230R2	15	24	14	55-1/2	27-1/2	Right	120
SS8230L2	15	24	14	55-1/2	27-1/2	Left	120
SS8230LR2	15	24	14	78	27-1/2	Left & Right	200
SS82362	18	24	14	39	27-1/2	None	105
SS8236R2	18	24	14	61-1/2	27-1/2	Right	130
SS8236L2	18	24	14	61-1/2	27-1/2	Left	130
SS8236LR2	18	24	14	84	27-1/2	Left & Right	215
SS82422	21	24	14	45	27-1/2	None	150
SS82482	24	24	14	51	27-1/2	None	120
SS8248R2	24	24	14	73-1/2	27-1/2	Right	200
SS8248L2	24	24	14	73-1/2	27-1/2	Left	200
SS8248LR2	24	24	14	96	27-1/2	Left & Right	225
SS82542	27	24	14	57	27-1/2	None	130
SS8254R2	27	24	14	79-1/2	27-1/2	Right	215
SS8254L2	27	24	14	79-1/2	27-1/2	Left	215
SS8254LR2	27	24	14	102	27-1/2	Left & Right	245
SS82602	30	24	14	63	27-1/2	None	140
SS8260R2	30	24	14	85-1/2	27-1/2	Right	225
SS8260L2	30	24	14	85-1/2	27-1/2	Left	225
SS8260LR2	30	24	14	108	27-1/2	Left & Right	270





SS8248L2



SS8260R2

For non-standard hole configuration see page 51.







SS8354LR4

SS83454



SS8354R4

	Compartn	nent Siz	e (inches)	<b>Overall Si</b>	ze (inches)	24"	Shipping
Model Number	Length	Width	Depth	Length	Width	Drainboard	WT. LBS.
		TRIPL	E COM	IPARTME	INT		
SS83454	15	24	14	48	27-1/2	None	125
SS8345R4	15	24	14	70-1/2	27-1/2	Right	150
SS8345L4	15	24	14	70-1/2	27-1/2	Left	150
SS8345LR4	15	24	14	93	27-1/2	Left & Right	240
SS83544	18	24	14	57	27-1/2	None	140
SS8354R4	18	24	14	79-1/2	27-1/2	Right	170
SS8354L4	18	24	14	79-1/2	27-1/2	Left	170
SS8354LR4	18	24	14	102	27-1/2	Left & Right	255
SS83604	20	24	14	63	27-1/2	None	160
SS8360LR4	20	24	14	108	27-1/2	Left & Right	280
SS83724	24	24	14	75	27-1/2	None	230
SS8372R4	24	24	14	97-1/2	27-1/2	Right	255
SS8372L4	24	24	14	97-1/2	27-1/2	Left	255
SS8372LR4	24	24	14	120	27-1/2	Left & Right	305



SS8372L4

For non-standard hole configuration see page 51.

## Get the Best Deals on ELKAY Sinks at Air Delights!



Elkay **Classroom Sinks** provide the versatility and durability required for multitasking in the classroom. Available as *complete packages*, with faucet, Flexi-Guard<sup>®</sup> Bubbler and strainer included, our classroom sinks are the ideal way to provide hand washing, light clean up and drinking water all in one area.

## Get the Best Deals on ELKAY Sinks at Air Delights!









DRKR3717R4

Lustertone® Classroom Sinks

- 18 gauge, type 304 nickel bearing stainless steel
- 1-3/4" radius coved corners
- Exposed surfaces hand blended to a lustrous highlighted satin finish
- Underside of sink is fully undercoated
- Recessed bowls and faucet deck
- 3-1/2" drain opening on large bowl
- 2" drain opening on small bowl
- DRKAD models comply with ADA requirements
- Available as sink only or as complete package (with faucet, bubbler and strainer)



#### Lustertone<sup>®</sup> Double Bowl Sinks

#### Packages include:

- LKD2439 concealed mount faucet; height-10".
   45° restricted swing spout with aerator
- LK1141A no-lead Flexi-Guard® bubbler
- LK35 strainer for large bowl
- LK8 grid strainer for small fountain bowl

	Model Number	Overall (inche		L	Ea Left W	ach Bov D	wl Size L	(inches) Right W	D	Minimum Cabinet Size	Faucet Holes	Shipping WT. LBS.
					SIN	K PA	CKAC	GES				
	DRKR3717LC	37-1/4	17	9-1/4	12	3-5/8	16	11-1/2	7-5/8	42"	4	27
	DRKR3717RC	37-1/4	17	16	11-1/2	7-5/8	9-1/4	12	3-5/8	42"	4	27
†	DRKAD3717LC	37-1/4	17	9-1/4	12	3-5/8	16	11-1/2	*	42"	4	27
†	DRKAD3717RC	37-1/4	17	16	11-1/2	*	9-1/4	12	3-5/8	42"	4	27
						SINK	ONL	1				
	DRKR3717L	37-1/4	17	9-1/4	12	3-5/8	16	11-1/2	7-5/8	42"	4	18
	DRKR3717R	37-1/4	17	16	11-1/2	7-5/8	9-1/4	12	3-5/8	42"	4	18
†	DRKAD3717L	37-1/4	17	9-1/4	12	3-5/8	16	11-1/2	*	42"	4	18
†	DRKAD3717R	37-1/4	17	16	11-1/2	*	9-1/4	12	3-5/8	42"	4	18

\* Available in 4 to 6-1/2 inch depths.

Most classroom sinks featured in this catalog are available with our Quick-Clip® Mounting System. See Elkay Residential Catalog for complete description and ordering information.

## Get the Best Deals on ELKAY Sinks at Air Delights!

Shop Now!

Cutout size is 5/8" less than overall size with 1-1/2" radius corners, for all drop-in sinks



#### Lustertone<sup>®</sup> Single Bowl, Single Ledge Sinks

#### Packages include:

- LKD208513L single handle, rigid gooseneck spout faucet with aerator; height-13"
- LK1141A no-lead Flexi-Guard® bubbler
- LK35 strainer

#### Vandal Resistant Packages include:

- LKDVR208513L faucet with vandal-resistant aerator/handle screws and factory installed anti-rotation pins.
- LKVR1141A no-lead Flexi-Guard<sup>®</sup> bubbler with anti-rotation feature and metal mouth guard.
- LKVR18 drain fitting with vandal-resistant 3" perforated grid strainer.





Model Number		all Size thes) W	L	Bowl Size (inches) L W D		Minimum Cabinet Size	Faucet Holes	Shipping WT. LBS.
			SI	NK PA	CKAGE	S		
DRKR2217LC	22	17	16	13-1/2	7-5/8	27"	2	24
DRKR2217RC	22	17	16	13-1/2	7-5/8	27"	2	24
DRKR2217LVRC	22	17	16	13-1/2	7-5/8	27"	2	24
DRKR2217RVRC	22	17	16	13-1/2	7-5/8	27"	2	24
				SINK	ONLY			
DRKR2217	22	17	16	13-1/2	7-5/8	27"	1 or (2)	13
DRKAD2217	22	17	16	13-1/2	*	27"	1 or (2)	13

*†* Note: "L" version comes with wing handle on left of faucet. "R" version comes with wing handle on right of faucet.

## Lustertone<sup>®</sup> Single Bowl, Rear and Side Ledge Sinks

Model Number			rall Size <sub>ches)</sub> W	L	Bowl Size (inches) W	e D	Minimum Cabinet Size	Faucet Holes	Shipping WT. LBS.
					SINK (	ONLY			
DRKR22201	L	22	19-1/2	16	13-1/2	7-5/8	27"	2, 3 or (4)	14
<b>DRKR2220</b>	R	22	19-1/2	16	13-1/2	7-5/8	27"	2, 3 or (4)	14
DRKR25221	L	25	22	19	16	7-5/8	30"	2, 3 or (4)	16
DRKR25224	R	25	22	19	16	7-5/8	30"	2, 3 or (4)	16
DRKAD2220	)L	22	19-1/2	16	13-1/2	*	27"	2, 3 or (4)	14
	)R	22	19-1/2	16	13-1/2	*	27"	2, 3 or (4)	14
+ DRKAD2522	2L	25	22	19	16	*	30"	2, 3 or (4)	16
	2R	25	22	19	16	*	30"	2, 3 or (4)	16

 $+^*$  Available in 4 to 6-1/2 inch depths.

O Indicates standard number of faucet holes.

Get the Best Deals on ELKAY Sinks at Air Delights!



DRKR2217RC

DRKR2220R4





## Lustertone<sup>®</sup> Single Bowl, Double Ledge Sinks

#### DRKR & DRKAD Packages include:

- LKD2439 concealed mount faucet. 45° restricted swing spout with aerator; height-10"
- LK1141A no-lead Flexi-Guard<sup>®</sup> bubbler
- LK35 strainer

#### DRKRC Package includes:

- LKDC2432 two-handle concealed mount faucet with swing spout and aerator.
- LK1141A no lead Flexi-Guard® bubbler.
- LKJ35 strainer.



(Free states)	Model Number		rall Size <sup>ches)</sup> W	L	Bowl Si (inches) W		Minimum Cabinet Size	Faucet Holes	Shipping WT. LBS.
				SIN	IK PA	CKAGE	S		
	DRKR2220C	22	19-1/2	13-1/2	16	7-5/8	27"	4	23
	DRKR2517C	25	17	16	13-1/2	7-5/8	30"	4	22
An AN	DRKR3119C	31	19-1/2	22	16	7-5/8	36"	4	25
- All	DRKRC2220C	22	19-1/2	13-1/2	16	7-5/8	27"	4	23
	DRKRC2517C	25	17	16	13-1/2	7-5/8	30"	4	22
DRKAD2517C	DRKRC3119C	31	19-1/2	22	16	7-5/8	36"	4	28
<i>t</i>	DRKAD2220C	22	19-1/2	13-1/2	16	*	27"	4	23
+	DRKAD2517C	25	17	16	13-1/2	*	30"	4	22
+	DRKAD3119C	31	19-1/2	22	16	*	36"	4	25
					SINK	ONLY			
A R	DRKR2220	22	19-1/2	13-1/2	16	7-5/8	27"	2, 2LM or (4)	14
	DRKR2517	25	17	16	13-1/2	7-5/8	30"	2, 2LM or (4)	13
	DRKR2522	25	22	16	19	7-5/8	30"	2, 2LM or (4)	16
	DRKR3119	31	19-1/2	22	16	7-5/8	36"	2, 2LM or (4)	19
+	DRKAD2220	22	19-1/2	13-1/2	16	*	27"	2, 2LM or (4)	14
DRKAD25224 +	DRKAD2517	25	17	16	13-1/2	*	30"	2, 2LM or (4)	13
UNIVAU20224 /	DRKAD2522	25	22	16	19	*	30"	2, 2LM or (4)	16
†	DRKAD3119	31	19-1/2	22	16	*	36"	2, 2LM or (4)	19

\* Available in 4 to 6-1/2 inch depths.

O Indicates standard number of faucet holes.

## Get the Best Deals on ELKAY Sinks at Air Delights!

Shop Now!

Cutout size is 5/8" less than overall size with 1-1/2" radius corners, for all drop-in sinks

# ELKAY

## Lustertone<sup>®</sup> Single Bowl, Triple Ledge Sinks

#### Packages include:

- LKE413945RS single-lever Hi-Arc® faucet Spout: height-10"; reach- 6-1/2"
- LK1141A no-lead Flexi-Guard® bubbler
- Strainer: DRKR2822-LK35; DRKAD2822-LKAD35





DRKR2822RC



DRKR2822R3

	Model	Overall Size (inches)			Bowl S (inches		Minimum Cabinet	Faucet	Shipping
	Number	L	w	L	W	D	Size	Holes	WT. LBS.
				SIN	ik pa	CKAGE	S		
	DRKR2822LC	28	22	19	16	7-5/8	33"	3	25
	DRKR2822RC	28	22	19	16	7-5/8	33"	3	25
$^{\dagger}$	DRKAD2822LC	28	22	19	16	*	33"	3	25
$^{\dagger}$	DRKAD2822RC	28	22	19	16	*	33"	3	25
					SINK	ONLY			
	DRKR2822L	28	22	19	16	7-5/8	33"	3	16
	DRKR2822R	28	22	19	16	7-5/8	33"	3	16
†	DRKAD2822L	28	22	19	16	*	33"	3	16
†	DRKAD2822R	28	22	19	16	*	33"	3	16

\* Available in 4 to 6-1/2 inch depths.

L & LC models have slotted hole on the left ledge R & RC models have slotted hole on the right ledge

> Get the Best Deals on ELKAY Sinks at Air Delights!



#### Get the Best Deals on ELKAY Sinks at Air Delights!



## **Pacemaker® Classroom Sinks**

Shop Now!

- 20 gauge, type 304 nickel bearing stainless steel, self-rim design with double ledge
- 1-3/4" radius coved corners
- Exposed surfaces polished to a bright satin finish
- Underside of sink is fully undercoated
- Drain opening size is 3-1/2"
- Recessed bowls and faucet deck
- Standard two faucet holes furnished unless otherwise specified
- PSDKAD models comply with ADA requirements



## **PSDKRC2517 Series**

#### PSDKRC2517 Package includes:

- LKDC2085L single wing handle faucet for hot or cold applications with fixed hi-spout and aerator. Outlet height: 8-1/4"
- LK1141A no lead Flexi-Guard® bubbler.
- LKJ35 strainer

#### PSDKRC2517VRC Package includes:

- LKDCVR2085L same as LKDC2085L except with vandal resistant aerator and handle screw, and factory installed anti-rotation pins
- LKVR1141A same as LK1141A except with anti-rotation feature and metal mouth guard.
- LKVR18 drain fitting with vandal-resistant 3" perforated grid strainer

## PSDKR2517C and PSDKAD2517C Series

#### PSDKR2517C and PSDKAD2517C Packages include:

- LKD208513L single handle, rigid gooseneck spout faucet with aerator, 13" high overall
- LK1141A no lead Flexi-Guard® bubbler
- LK35 strainer

#### PSDKR2517VRC and PSDKAD2517VRC Packages include:

- LKDVR208513L same as LKD208513L except with vandal resistant aerator and handle screw, and factory installed anti-rotation pins
- LKVR1141A same as LK1141A except with anti-rotation feature and metal mouth guard
   LKVR18 drain fitting with vandal-resistant 3" perforated grid strainer
- EKVR18 drain litting with vandal-resistant 3 periorated grid strainer

	Model	Overall Size (inches)			Bowl S (inches		Minimum Cabinet	Faucet	Shipping
	Number	L	w	L	W	D	Size	Holes	WT. LBS.
				SI	IK PA	CKAGE	S		
	PSDKRC2517C	25	17	16	13-1/2	7-1/8	30"	2	16
	PSDKRC2517VRC	25	17	16	13-1/2	7-1/8	30"	2	16
				SI	NK PA	CKAGE	S		
	PSDKR2517VRC	25	17	16	13-1/2	7-1/8	30"	2	23
	PSDKR2517C	25	17	16	13-1/2	7-1/8	30"	2	23
$^{\dagger}$	PSDKAD2517C	25	17	16	13-1/2	6-1/2	30"	2	23
$^{\dagger}$	PSDKAD2517VRC	25	17	16	13-1/2	6-1/2	30"	2	23
					SINK	ONLY			
	PSDKR2517	25	17	16	13-1/2	7-1/8	30"	2), 2LM or 4	12
†	PSDKAD2517	25	17	16	13-1/2	6-1/2	30"	(2), 2LM or 4	12
	PSDKR2220L	22	19-1/2	16	13-1/2	7-1/8	27"	2, 3 or (4)	14
	PSDKR2220R	22	19-1/2	16	13-1/2	7-1/8	27"	2, 3 or (4)	14

L models have ledge on the left R models have ledge on the right

Indicates standard number of faucet holes.

Cutout size is 5/8" less than overall size with 1-1/2" radius corners, for all drop-in sinks

PSDKRC2517C

PSDKR2517C

PSDKR220L4

35



## **Celebrity® Classroom Sinks**

- 20 gauge, type 304 nickel bearing stainless steel
- 3" corner radius
- Single bowl self-rim, with double ledge
- Exposed surfaces polished to a brushed satin finish
- Underside of sink is fully undercoated
- Drain opening size is 3-1/2"
- Recessed bowl and faucet decks
- Standard two faucet holes furnished unless otherwise specified
- CDKAD models comply with ADA requirements

<u>z</u>†

#### CDKR2517C and CDKAD2517C Series

#### CDKR2517C and CDKAD2517C Packages include:

- LKD208513L single handle, rigid gooseneck spout faucet with aerator, 13" high
- LK1141A no lead Flexi-Guard® bubbler
- LK35 strainer

#### CDKR2517VRC and CDKAD2517VRC Packages include:

- LKDVR208513L same as LKD208513L except with vandal-resistant aerator and handle screw, and factory installed anti-rotation pins
- LKVR1141A same as LK1141A except with anti-rotation feature and metal mouth guard
- LKVR18 drain fitting with vandal-resistant 3" perforated grid strainer

#### **CDKRC2517C Series**

#### CDKRC2517C Package includes:

- LKDC2085L single wing handle faucet with fixed hi-spout and aerator; height-8-1/4"
- LK1141A no lead Flexi-Guard® bubbler
- LKJ35 strainer

#### CDKRC2517VRC Package includes:

- LKDCVR2085L same as LKDC2085L except with vandal-resistant aerator and handle screw, and factory installed anti-rotation pins
- LKVR1141A same as LK1141A except with anti-rotation feature and metal mouth guard
- LKVR18 drain fitting with vandal-resistant 3" perforated grid strainer



CDKR2517C



#### Get the Best Deals on ELKAY Sinks at Air Delights!

Shop Now!

	Model		II Size	B	owl S (inche		Minimum Cabinet	Faucet	Shipping
	Number	L	W	L	W	D	Size	Holes	WT. LBS.
				SINK	PA	CKAGE	S		
	CDKRC2517C	25	17	15-3/4	14	6-7/8	30"	2	22
	CDKRC2517VRC	25	17	15-3/4	14	6-7/8	30"	2	22
	CDKR2517C	25	17	15-3/4	14	6-7/8	30"	2	22
	CDKR2517VRC	25	17	15-3/4	14	6-7/8	30"	2	22
†	CDKAD2517C	25	17	15-3/4	14	6-1/2	30"	2	22
†	CDKAD2517VRC	25	17	15-3/4	14	6-1/2	30"	2	22
				S	NK	ONLY			
	CDKR2517	25	17	15-3/4	14	6-7/8	30"	2), 2LM or 4	11
†	CDKAD2517	25	17	15-3/4	14	6-1/2	30"	2), 2LM or 4	11

Indicates standard number of faucet holes.





**Our General Use Sinks** are an ideal choice for those areas that do not require a commercial grade product, but still demand the quality and style that Elkay stainless steel sinks provide. Choose from a wide selection of kitchen and hospitality sinks, in single, double and triple bowl configurations, for the teacher's lounge, kitchenette area and other light-duty applications.

# Get the Best Deals on ELKAY Sinks at Air Delights!





#### Lustertone<sup>®</sup> Undermount General Use Sinks

- 18 gauge, type 304 nickel bearing stainless steel
- Exposed surfaces are hand blended to a lustrous highlighted Lustertone<sup>®</sup> satin finish
- Heavy duty Sound Guard<sup>®</sup> undercoating
- Highlighted inside top bowl radius on models with reveal
- Template and countertop mounting clips included with every sink
- 3-1/2" drain opening size (unless otherwise specified)
- **Double** and **Single** bowl models
- PD models have Perfect Drain<sup>™</sup> mounting feature



ELUH3118

# Lustertone<sup>®</sup> Double Bowl Undermount Sinks

Model Number	Overa (incl		L	Each Left W	Bowl D	Size (in L	<sup>ches)</sup> Right W	D	Minimum Cabinet Size	Shipping WT. LBS.
			ELU	H311	8 SE	RIES				
ELUH3118	30-3/4	18-1/2	13-1/2	16	7-7/8	13-1/2	16	7-7/8	36"	21
ELUH311810	30-3/4	18-1/2	13-1/2	16	10	13-1/2	16	10	36"	23
			ELU	H312	20 SE	RIES				
ELUH3120L	31-1/4	20-1/2	13-1/2	16	7-7/8	14	18	9-7/8	36"	23
ELUH3120R	31-1/4	20-1/2	14	18	9-7/8	13-1/2	16	7-7/8	36"	23
			ELU	JHAC	) SEF	RIES				
ELUHAD3118	31-3/4	18-1/2	13-1/2	16	*	13-1/2	16	*	36"	21
ELUHAD3118PD	31-3/4	18-1/2	13-1/2	16	*	13-1/2	16	*	36"	21
ELUHAD3120R	31-1/4	20-1/2	14	18	*	13-1/2	16	*	36"	23
ELUHAD3120RPD	31-1/4	20-1/2	14	18	*	13-1/2	16	*	36"	23
ELUHAD3216	31-3/4	16-1/2	14	14	*	14	14	*	36	21
ELUHAD3216PD	31-3/4	16-1/2	14	14	*	14	14	*	36	21
ELUHAD3618	35-3/4	18-1/2	16	16	*	16	16	*	39	27
ELUHAD4218	41-3/4	18-1/2	19	16	*	19	16	*	45	27
ELUHAD4618	45-3/4	18-1/4	21	15-3/4	. *	21 1	15-3/4	*	51	29

L models have small bowl on left R models have small bowl on right

\* Available in 4-1/2 to 5-1/2 inch depths.



ELUH3120R



# Get the Best Deals on ELKAY Sinks at Air Delights!



For cutout size, use template furnished with sink. See specification sheets for detailed information





ELU9



# Lustertone<sup>®</sup> Single Bowl Undermount Sinks Without Reveal

Model Number	Overall Si (inches) L	ze N	B	owl Siz (inches) W	D	Minimum Cabinet Size	Drain Opening	Shipping WT. LBS.
			WIT	ΗΟυτ	REVE	AL		
ELU9	11-3/8 D	ia.		9 Dia.	4-3/4	15"	2"	3
ELU16FB	18-3/8 D	ia.		16 Dia.	8	24"	3-1/2"	13
ELU16LV	18-3/8 D	ia.		16 Dia.	8	24"	1-1/2"	13
ELU2115	22-1/2 17	-1/4	21	15-3/4	7-1/2	27"	3-1/2"	14
ELU211510	22-1/2 17-	-1/4	21	15-3/4	10	27"	3-1/2"	18
ELU281610	29-1/2 17-	-1/2	28	16	10	36"	3-1/2"	23



ELUH1316



ELUH1511

# Lustertone<sup>®</sup> Single Bowl Undermount Sinks With Reveal

Model	Overa (inc	hes)		Bowl Size (inches)	e	Minimum Cabinet	Drain	Shipping
Number	L	W	L	W	D	Size	Opening	WT. LBS.
			WI	TH RE	VEAL			
ELUH1316	16	18-1/2	13-1/2	16	7-7/8	21"	3-1/2"	11
ELUH1511	18	14	15-1/2	11-3/8	6	21"	1-1/2"	7
ELUH2115	23-1/2	18-1/4	21	15-3/4	7-1/2	27"	3-1/2"	14
ELUH211510	23-1/2	18-1/4	21	15-3/4	10	27"	3-1/2"	18
ELUH281610	30-1/2	18-1/2	28	16	10	36"	3-1/2"	23
			ELU	HAD S	ERIES	5		
ELUHAD1116	14	18-1/2	11-1/2	16	*	18"	3-1/2"	11
ELUHAD1212	14-1/2	14-1/2	12	12	*	18"	3-1/2"	11
ELUHAD1316	16	18-1/2	13-1/2	16	*	21"	3-1/2"	11
ELUHAD1316PD	16	18-1/2	13-1/2	16	*	21"	3-1/2"	11
ELUHAD1414	16-1/2	16-1/2	14	14	*	21"	3-1/2"	11
ELUHAD1414PD	16-1/2	16-1/2	14	14	*	21"	3-1/2"	11
ELUHAD1418	16-1/2	20-1/2	14	18	*	21"	3-1/2"	11
ELUHAD1418PD	16-1/2	20-1/2	14	18	*	21"	3-1/2"	11
ELUHAD1616	18-1/2	18-1/2	16	16	*	24"	3-1/2"	11
ELUHAD1916	21-1/2	18-1/2	19	16	*	27"	3-1/2"	17
ELUHAD2115	23-1/2	18-1/4	21	15-3/4	*	27"	3-1/2"	15
ELUHAD2115PD	23-1/2	18-1/4	21	15-3/4	*	27"	3-1/2"	15
ELUHAD2816	30-1/2	18-1/2	28	16	*	36"	3-1/2"	21
ELUHAD2816PD	30-1/2	18-1/2	28	16	*	36"	3-1/2"	21
						I I		

\* Available in 4-1/2 to 5-1/2 inch depths.

# Get the Best Deals on ELKAY Sinks at Air Delights!

# Shop Now!

For cutout size, use template furnished with sink. See specification sheets for detailed information

ELUH281610



# Get the Best Deals on ELKAY Sinks at Air Delights!



Lustertone<sup>®</sup> General Use Sinks





## Lustertone® Triple Bowl Sinks

Model Number	Overa (inch L	III Size	L	owl Siz (inches) W		Minimum Cabinet Size	Faucet Holes	Shipping WT. LBS.
LTR4622	46	22	13-1/2	16	7-5/8	51"	3, 4, 6), 8	29
LTR542210	54	22	16	19	10	57"	3, 4, 6), 8	33
LTR632210	63	22	19	16	10	66"	3, 4, 6), 8	47

# Lustertone<sup>®</sup> Double Bowl Sinks

Model Number		all Size ches) W		Each Bowl Size <sup>(inches)</sup> L W D		Cabinet Size	Minimum Faucet Holes	Shipping WT. LBS.
LR3319	33	19-1/2	14	14	7-5/8	36"	1, 2, MR2, 3,④or 5	20
LR3321	33	21-1/4	13-1/2	16	7-7/8	36"	1, 2, MR2, 3,④or 5	22
LR3322	33	22	13-1/2	16	8-1/8	36"	1, 2, MR2, 3,(4) or 5	23
LRAD250 **	33	22	16	13-1/2	*	36"	1, 2, S2, 3, or (4)	21
LRAD2918	29	18	12	12	*	33"	1, 2, MR2, 3,(4) or 5	16
LRAD2922	29	22	11-1/2	16	*	33"	1, 2, MR2, 3,④or 5	17
LRAD3319	33	19-1/2	14	14	*	36"	1, 2, MR2, 3,④or 5	20
LRAD3321	33	21-1/4	13-1/2	16	*	36"	1, 2, MR2, 3,④or 5	23
LRAD3322	33	22	13-1/2	16	*	36"	1, 2, MR2, 3,④or 5	23
LRAD3722	37	22	16	16	*	42"	1, 2, MR2, 3,④or 5	24
DLR332210	33	22	13-1/2	16	10-1/8	36"	1, 2, MR2, 3, ④or 5	25



LR33214



LR3322104

\* Available in 4 to 6-1/2 inch depths.

\*\* LRAD250 right side bowl measures 14 x 18 x 5-1/2 inches.

LR3321 and LR3322 underside is fully protected by heavy duty Sound Guard® undercoating. Other sinks are fully undercoated.

 $\bigcirc$  Indicates standard number of faucet holes.

Most general use sinks featured in this catalog are available with our Quick-Clip<sup>®</sup> Mounting System. See Elkay Residential Catalog for complete description and ordering information.

# Get the Best Deals on ELKAY Sinks at Air Delights!







LR1716C



LR1720C



LR2219C



LR2522C



- 18 gauge, type 304 nickel bearing stainless steel, self rim design
- 1-3/4" radius coved corners
- Exposed surfaces are hand blended to a lustrous highlighted satin finish
- Underside of sink is fully undercoated
- Recessed bowls and faucet deck
- 3-1/2" drain opening
- LRAD models comply with ADA requirements

Image: Note of the second se	Model Number	Sink Bowl	Faucet	Drain	Trap	Stops	Supplies
LRAD171655SC         LRAD1716551         LK500GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD171660SC         LRAD1716601         LK500GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD171665SC         LRAD171665SC         LRAD171665SC         LRAD171665SC         (2) 75786C         (2) 75786C         (2) 75747           LRAD17205SC         LRAD1720552         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD17206SC         LRAD1720652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD17206SC         LRAD1720652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD2195SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD22196SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD22196SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD22196SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75786C							
LRAD171660SC         LRAD1716601         LK500GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD171665SC         LRAD1716651         LK500GN04T4         LK18         LK500         (2) 75786C         (2) 75787           LRAD17205SC         LRAD1720552         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75787           LRAD17205SC         LRAD1720552         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD172065SC         LRAD1720652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD172065SC         LRAD1720652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD22196SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD22196SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD22196SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75786C         (2) 75747           LRAD25226SC         LRAD2522653         LK810GN04T4         LK18         LK500         (2) 75786C         (2) 7		-		-		( )	· · /
LRAD171665SC         LRAD1716651         LK500GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LR1720SC         LR17202         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17205SSC         LPAD1720602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17206SSC         LFAD1720652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17206SSC         LFA2192         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD2195SSC         LRAD2219552         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22196SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22196SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD2525SSC         LRAD2219652         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD25225SSC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747 <td></td> <td></td> <td></td> <td></td> <td></td> <td>. ,</td> <td>· · /</td>						. ,	· · /
LR1720SC         LR17202         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD172055SC         LRAD1720552         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD172060SC         LRAD1720602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD172065SC         LRAD1720652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD2195SC         LR22192         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221960SC         LRAD2219602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221960SC         LRAD2219602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221960SC         LRAD2219602         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221960SC         LRAD2522553         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747 <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>. ,</td> <td>· /</td>				-		. ,	· /
IRAD17205SSC         IRAD17205S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD172060SC         IRAD1720602         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD17206SSC         IRAD17206S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD2195SSC         IRAD22195S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD2195SSC         IRAD22196S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD22196SSC         IRAD22196S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD22196SSC         IRAD22196SS         IRAD22196S2         IK406GN04T4         IK18         IK500         (2)         75747           IRAD252SSSC         IRAD25226S3         IK810GN04T4         IK18         IK500         (2)         75747           IRAD152S226SS         IRAD171651         IK500GN04T4         IK18         IK500         (2)         75747	LRAD171665SC	LRAD1716651	LK500GN04T4	LK18	LK500	(2) 75768C	(2) 757470
IRAD17205SSC         IRAD17205S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD172060SC         IRAD1720602         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD17206SSC         IRAD17206S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD2195SSC         IRAD2219552         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD2195SSC         IRAD22196S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD22196SSC         IRAD22196SC         IRAD22196S2         IK406GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD22196SSC         IRAD22196SS         IRAD22196SS         IK406GN04T4         IK18         IK500         (2)         75747           IRAD2522SSSC         IRAD25226SS         IK810GN04T4         IK18         IK500         (2)         7578C         (2)         75747           IRAD1716SSC         IRAD1716S1         IK500GN04T4         IK18<		1017000		1144.0	11/500	(0) 757000	(0) 757 47
LRAD172060SC         LRAD1720602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD172065SC         LRAD1720652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22195SSC         LRAD2219552         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22195SSC         LRAD2219602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22196SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22196SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD2252SSSC         LRAD2522653         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252265SC         LRAD2522663         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252265SC         LRAD171661         LK500GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17166C         LRAD171661         LK500GN04T4         LK18         LK18						. ,	(
LRAD172065SC         LRAD1720652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22195SSC         LRAD2219552         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22195SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22196SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22196SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD2522SSC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17165C         LRAD171651         LK500GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD171665C         LRAD171661         LK500GN04T4         LK18         M         —         — <td< td=""><td></td><td></td><td></td><td></td><td></td><td>( )</td><td>(_)</td></td<>						( )	(_)
LR2219SC         LR22192         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221955SC         LRAD2219552         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221960SC         LRAD2219602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22196SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD22196SC         LR25223         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252256SC         LRAD252263         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252266SC         LRAD252263         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252266SC         LRAD252263         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD1522266SC         LRAD171651         LK500GN04T4         LK18         LK180         (2) 75768C         (2) 75747           LRAD17166C         LRAD171651         LK500GN04T4         LK18 <td></td> <td></td> <td></td> <td></td> <td></td> <td>( )</td> <td>· · /</td>						( )	· · /
LRAD22195SSC         LRAD2219552         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221960SC         LRAD2219602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221965SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221965SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD25225SC         LR25223         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522633         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD25226SSC         LRAD2522633         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD1505C         LRAD171651         LK500GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17166C         LRAD171661         LK500GN04T4         LK18         LK18             LRAD17166C         LRAD1716651         LK500GN04T4         LK18	LRAD172065SC	LRAD1/20652	LK406GN0414	LK18	LK500	(2) 75768C	(2) 757470
LRAD22195SSC         LRAD2219552         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221960SC         LRAD2219602         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221965SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD221965SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD25225SC         LR25223         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522633         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252265SC         LRAD2522633         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252265SC         LRAD171651         LK500GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17166CC         LRAD171651         LK500GN04T4         LK18         LK17         (2) 75768C         (2) 75747           LRAD17166CC         LRAD171661         LK500GN04T4         LK18         -         -         - <t< td=""><td>LB2219SC</td><td>L B22192</td><td>LK406GN04T4</td><td>LK18</td><td>LK500</td><td>(2) 75768C</td><td>(2) 75747</td></t<>	LB2219SC	L B22192	LK406GN04T4	LK18	LK500	(2) 75768C	(2) 75747
LRAD221960SC         LRAD2219602         LK406GN04T4         LK18         LK500         (2)         75768C         (2)         75747           LRAD22196SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2)         75768C         (2)         75747           LRAD22196SSC         LRAD2219652         LK406GN04T4         LK18         LK500         (2)         75768C         (2)         75747           LRAD25225SSC         LRAD2522653         LK810GN04T4         LK18         LK500         (2)         75768C         (2)         75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2)         75768C         (2)         75747           LRAD252266SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2)         75768C         (2)         75747           LRAD152626SCSC         LRAD1716551         LK800GN04T4         LK18         LK500         (2)         75768C         (2)         75747           LRAD171655C         LRAD1716551         LK500GN04T4         LK18                  <							( )
LRAD221965SC         LRAD2219652         LK406GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LR2522SC         LR25223         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252255SC         LRAD2522553         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252265SC         LRAD1716551         LK500GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17165C         LRAD1716551         LK500GN04T4         LK18         M <td< td=""><td></td><td></td><td></td><td></td><td></td><td>· · /</td><td>· · /</td></td<>						· · /	· · /
LR2522SC         LF25223         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252255SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD17165C         LRAD171651         LK500GN04T4         LK18				-		· /	( )
IRAD252255SC         IRAD252255S3         IK810GN04T4         IK18         IK500         (2) 75768C         (2) 75747           IRAD252260SC         IRAD2522603         IK810GN04T4         IK18         IK500         (2) 75768C         (2) 75747           IRAD252260SC         IRAD2522603         IK810GN04T4         IK18         IK500         (2) 75768C         (2) 75747           IRAD252265SC         IRAD2522653         IK810GN04T4         IK18         IK500         (2) 75768C         (2) 75747           IRAD252265SC         IRAD2522653         IK810GN04T4         IK18         IK500         (2) 75768C         (2) 75747           IRAD17165C         IRAD171651         IK500GN04T4         IK18         —         —         —         —           IRAD171665C         IRAD1716651         IK500GN04T4         IK18         —         —         —         —         —           IRAD171665C         IRAD172062         IK406GN04T4         IK18         —         —         —         —         =           IRAD172060C         IRAD1720632         IK406GN04T4         IK18         —         —         =         =           IRAD2172065C         IRAD1720632         IK406GN04T4         IK18         =         =						,	( )
LRAD252260SC         LRAD2522603         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252265SC         LRAD2522653         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LRAD252265SC         LRAD2522653         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LR1716C         LR17161         LK500GN04T4         LK18         M             LRAD17165C         LRAD171651         LK500GN04T4         LK18              LRAD171660C         LRAD171661         LK500GN04T4         LK18              LRAD171665C         LRAD171661         LK500GN04T4         LK18              LRAD171665C         LRAD172052         LK406GN04T4         LK18              LRAD17205C         LRAD172052         LK406GN04T4         LK18              LRAD172060C         LRAD1720602         LK406GN04T4         LK18              LRAD172065C         LRAD221955C         LK406GN04T4	LR2522SC	LR25223	LK810GN04T4	LK18	LK500	(2) 75768C	(2) 75747
LRAD252265SC         LRAD2522653         LK810GN04T4         LK18         LK500         (2) 75768C         (2) 75747           LR1716C         LR17161         LK500GN04T4         LK18         —         —         —         —         —         —         —         … <td>LRAD252255SC</td> <td>LRAD2522553</td> <td>LK810GN04T4</td> <td>LK18</td> <td>LK500</td> <td>(2) 75768C</td> <td>(2) 75747</td>	LRAD252255SC	LRAD2522553	LK810GN04T4	LK18	LK500	(2) 75768C	(2) 75747
LR1716C         LR17761         LK500GN04T4         LK18             LRAD171655C         LRAD1716551         LK500GN04T4         LK18             LRAD171665C         LRAD1716651         LK500GN04T4         LK18             LRAD171660C         LRAD1716651         LK500GN04T4         LK18             LRAD171665C         LRAD1716651         LK500GN04T4         LK18             LRAD171665C         LRAD1716651         LK500GN04T4         LK18              LRAD172065C         LRAD172052         LK406GN04T4         LK18              LRAD1720660         LRAD1720602         LK406GN04T4         LK18              LRAD172065C         LRAD1720662         LK406GN04T4         LK18              LRAD219265C         LRAD219262         LK406GN04T4         LK18              LRAD221955C         LRAD2219652         LK406GN04T4         LK18              LRAD221965C         LRAD2219	LRAD252260SC	LRAD2522603	LK810GN04T4	LK18	LK500	(2) 75768C	(2) 75747
LRAD171655C         LRAD1716551         LK500GN04T4         LK18         —         —         —           LRAD171660C         LRAD1716601         LK500GN04T4         LK18         —         —         —           LRAD171660C         LRAD1716651         LK500GN04T4         LK18         —         —         —           LRAD171665C         LRAD1716651         LK500GN04T4         LK18         —         —         —           LR1720C         LR17202         LK406GN04T4         LK18         —         —         —           LRAD172055C         LRAD172052         LK406GN04T4         LK18         —         —         —           LRAD172060C         LRAD1720622         LK406GN04T4         LK18         —         —         —           LRAD172065C         LRAD1720652         LK406GN04T4         LK18         —         —         —           LRAD172065C         LRAD1720652         LK406GN04T4         LK18         —         —         —           LRAD21955C         LRAD221952         LK406GN04T4         LK18         —         —         —           LRAD221955C         LRAD2219602         LK406GN04T4         LK18         —         —         — <td< td=""><td>LRAD252265SC</td><td>LRAD2522653</td><td>LK810GN04T4</td><td>LK18</td><td>LK500</td><td>(2) 75768C</td><td>(2) 75747</td></td<>	LRAD252265SC	LRAD2522653	LK810GN04T4	LK18	LK500	(2) 75768C	(2) 75747
LRAD171655C         LRAD1716551         LK500GN04T4         LK18         —         —         —           LRAD171660C         LRAD1716601         LK500GN04T4         LK18         —         —         —           LRAD171660C         LRAD1716651         LK500GN04T4         LK18         —         —         —           LRAD171665C         LRAD1716651         LK500GN04T4         LK18         —         —         —           LRAD171665C         LRAD1716651         LK406GN04T4         LK18         —         —         —           LRAD17205C         LRAD172052         LK406GN04T4         LK18         —         —         —           LRAD172060C         LRAD1720622         LK406GN04T4         LK18         —         —         —           LRAD172065C         LRAD1720652         LK406GN04T4         LK18         —         —         —           LRAD172065C         LRAD1720652         LK406GN04T4         LK18         —         —         —           LRAD221955C         LRAD2219552         LK406GN04T4         LK18         —         —         —           LRAD221965C         LRAD2219652         LK406GN04T4         LK18         —         —         —							
LRAD171660C         LRAD1716601         LK500GN04T4         LK18         —         —         —         —           LRAD171665C         LRAD1716651         LK500GN04T4         LK18         —         —         —         —         —         —         —         —         —         —         —         …	LR1716C	LR17161	LK500GN04T4	LK18	—	—	—
LRAD171665C       LRAD1716651       LK500GN04T4       LK18           LR1720C       LR17202       LK406GN04T4       LK18           LRAD172055C       LRAD1720552       LK406GN04T4       LK18           LRAD172060C       LRAD1720602       LK406GN04T4       LK18           LRAD172065C       LRAD1720622       LK406GN04T4       LK18           LRAD172065C       LRAD1720652       LK406GN04T4       LK18           LRAD172065C       LRAD1720652       LK406GN04T4       LK18           LRAD21955C       LRAD2219552       LK406GN04T4       LK18           LRAD221955C       LRAD2219552       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18	LRAD171655C	LRAD1716551	LK500GN04T4	LK18	—	—	—
LR1720C         LR17202         LK406GN04T4         LK18             LRAD172055C         LRAD1720552         LK406GN04T4         LK18             LRAD172060C         LRAD1720602         LK406GN04T4         LK18             LRAD172060C         LRAD1720602         LK406GN04T4         LK18             LRAD172065C         LRAD1720652         LK406GN04T4         LK18             LRAD172065C         LRAD1720652         LK406GN04T4         LK18             LRAD172065C         LRAD219252         LK406GN04T4         LK18             LRAD21955C         LRAD2219552         LK406GN04T4         LK18             LRAD221955C         LRAD2219652         LK406GN04T4         LK18             LRAD221965C         LRAD2219652         LK406GN04T4         LK18             LRAD221965C         LRAD2219652         LK406GN04T4         LK18             LRAD25226C         LR25223         LK810GN04T4         LK18 <t< td=""><td>LRAD171660C</td><td>LRAD1716601</td><td>LK500GN04T4</td><td>LK18</td><td>—</td><td>—</td><td>—</td></t<>	LRAD171660C	LRAD1716601	LK500GN04T4	LK18	—	—	—
LRAD172055C       LRAD1720552       LKA01720522       LK406GN04T4       LK18           LRAD172060C       LRAD1720622       LK406GN04T4       LK18           LRAD172065C       LRAD1720622       LK406GN04T4       LK18           LRAD172065C       LRAD1720652       LK406GN04T4       LK18           LR2219C       LR22192       LK406GN04T4       LK18           LRAD221955C       LRAD2219552       LK406GN04T4       LK18           LRAD221965C       LRAD2219602       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD25226C       LR25223       LK810GN04T4       LK18           LRAD252260C       LRAD2522603       LK810GN04T4       LK18      <	LRAD171665C	LRAD1716651	LK500GN04T4	LK18	—	—	—
LRAD172055C       LRAD1720552       LK406GN04T4       LK18           LRAD172060C       LRAD1720602       LK406GN04T4       LK18           LRAD172065C       LRAD1720652       LK406GN04T4       LK18           LRAD172065C       LRAD1720652       LK406GN04T4       LK18           LR2219C       LR22192       LK406GN04T4       LK18           LRAD221955C       LRAD2219552       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD21965C       LRAD2219652       LK406GN04T4       LK18           LRAD25226C       LR25223       LK810GN04T4       LK18           LRAD252255C       LRAD2522603       LK810GN04T4       LK18							
LRAD172060C       LRAD1720602       LK406GN04T4       LK18           LRAD172065C       LRAD1720652       LK406GN04T4       LK18           LRAD172065C       LRAD1720652       LK406GN04T4       LK18           LR2219C       LR22192       LK406GN04T4       LK18           LRAD221955C       LRAD2219552       LK406GN04T4       LK18           LRAD221960C       LRAD2219602       LK406GN04T4       LK18           LRAD221965C       LRAD2219602       LK406GN04T4       LK18           LRAD221965C       LRAD2219602       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD21965C       LRAD2219652       LK406GN04T4       LK18           LRAD25226C       LRAD252253       LK810GN04T4       LK18           LRAD252260C       LRAD2522603       LK810GN04T4       LK18		-			—	—	—
LRAD172065C       LRAD1720652       LK406GN04T4       LK18           LR2219C       LR22192       LK406GN04T4       LK18           LRAD221955C       LRAD2219552       LK406GN04T4       LK18           LRAD221956C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD221965C       LRAD2219652       LK406GN04T4       LK18           LRAD25226C       LRAD25223       LK810GN04T4       LK18           LRAD252255C       LRAD2522603       LK810GN04T4       LK18           LRAD252260C       LRAD2522603       LK810GN04T4       LK18				LK18	—		—
LR2219C         LR22192         LK406GN04T4         LK18             LRAD221955C         LRAD2219552         LK406GN04T4         LK18             LRAD221960C         LRAD2219602         LK406GN04T4         LK18             LRAD221965C         LRAD2219652         LK406GN04T4         LK18             LRAD221965C         LRAD2219652         LK406GN04T4         LK18             LRAD221965C         LRAD2219652         LK406GN04T4         LK18             LRAD221965C         LRAD2219652         LK406GN04T4         LK18             LRAD25226C         LRAD25223         LK810GN04T4         LK18             LRAD252260C         LRAD2522603         LK810GN04T4         LK18					—		—
LRAD221955C       LRAD2219552       LKA06GN04T4       LK18       —       —       —         LRAD221960C       LRAD2219602       LK406GN04T4       LK18       —       —       —         LRAD221965C       LRAD2219652       LK406GN04T4       LK18       —       —       —         LRAD221965C       LRAD2219652       LK406GN04T4       LK18       —       —       —         LRAD221965C       LRAD2219652       LK406GN04T4       LK18       —       —       —         LRAD252265C       LRAD252253       LK810GN04T4       LK18       —       —       —         LRAD252260C       LRAD2522603       LK810GN04T4       LK18       —       —       —	LRAD172065C	LRAD1720652	LK406GN04T4	LK18	—	—	—
LRAD221955C       LRAD2219552       LK406GN04T4       LK18       —       —       —         LRAD221960C       LRAD2219602       LK406GN04T4       LK18       —       —       —         LRAD221965C       LRAD2219652       LK406GN04T4       LK18       —       —       —         LRAD221965C       LRAD2219652       LK406GN04T4       LK18       —       —       —         LRAD221965C       LRAD2219652       LK406GN04T4       LK18       —       —       —         LRAD25226C       LRAD25223       LK810GN04T4       LK18       —       —       —         LRAD252260C       LRAD2522603       LK810GN04T4       LK18       —       —       —	1.500/00	1 500400		1144.0			
LRAD221960C         LRAD2219602         LK406GN04T4         LK18         —         —         —         —         —         —         —         —         —         —         —         —         —         …		-		-	—		
LRAD221965C         LRAD2219652         LK406GN04T4         LK18         —         —         —         —         —         —         —         —         —         —         —         —         …				-			
LR2522C         LR25223         LK810GN04T4         LK18             LRAD252255C         LRAD2522553         LK810GN04T4         LK18             LRAD252260C         LRAD2522603         LK810GN04T4         LK18							
LRAD252255C         LRAD2522553         LK810GN04T4         LK18         —         =         #         #	LRAD221905C	LHAD2219052	Lr\400GINU414	LNIÖ	_		
LRAD252255C         LRAD2522553         LK810GN04T4         LK18         —         =         #         #	L B2522C	L B25223		LK18			
LRAD252260C LRAD2522603 LK810GN04T4 LK18 — — —							
	LRAD252265C	LRAD2522653		LK18			

For a complete listing of Elkay sink packages for use in a wide variety of general applications, visit elkayusa.com.



# Lustertone<sup>®</sup> Single Bowl Sinks 🔥 <sup>†</sup> 🕢

	Model	Overa (inch				Minimum Cabinet	Faucet	Shipping	
	Number	Ĺ	W	L	W	D	Size	Holes	WT. LBS.
	LR1517	15	17-1/2	12	12	7-5/8	18"	1, 2, MR2 or ③	10
	LR1716	17	16	14	10	7-5/8	21"	1, 2, MR2, ③or OS4	8
	LR1720	17	20	14	14	7-5/8	21"	1, 2, MR2, ③or OS4	12
	LR1919	19-1/2	19	16	13-1/2	7-1/2	24"	1, 2, MR2, ③or OS4	13
	LR2219	22	19-1/2	18	14	7-5/8	27"	1, 2, MR2, 3, ④or 5	13
	LR2522	25	22	21	15-3/4	8-1/8	30"	1, 2, MR2, 3, (4) or 5	15
	LRAD1316	13	16	10	10	*	18"	1, 2, MR2 or ③	10
	LRAD1517	15	17-1/2	12	12	*	18"	1, 2, MR2 or (3)	10
	LRAD1522	15	22	11-1/2	16	*	21"	1, 2, MR2 or ③	12
	LRAD1716	17	16	14	10	*	21"	1, 2, MR2, (3) or OS4	8
	LRAD1720	17	20	17	20	*	21"	1, 2, MR2, (3) or OS4	12
	LRAD1722	17	22	13-1/2	16	*	21"	1, 2, MR2, (3) or OS4	13
	LRAD1918	19	18	16	11-1/2	*	24"	1, 2, MR2, ③or OS4	10
	LRAD1919	19-1/2	19	16	13-1/2	*	24"	1, 2, MR2, ③or OS4	11
$^{\dagger}$	LRAD2022	19-1/2	22	16	16	*	24"	1, 2, MR2, (3) or OS4	15
	LRAD2219	22	19-1/2	18	14	*	27"	1, 2, MR2, 3, ④or 5	13
$^{\dagger}$	LRAD2222	22	22	19	16	*	30"	1, 2, MR2, 3, ④or 5	14
	LRAD2521	25	21-1/4	21	15-3/4	*	30"	1, 2, MR2, 3, (4) or 5	15
	LRAD2522	25	22	21	15-3/4	*	30"	1, 2, MR2, 3, (4) or 5	15
	LRAD3122	31	22	28	16	*	36"	1, 2, MR2, 3, ④or 5	19
	DLR151710	15	17-1/2	12	12	10	18"	1, 2, MR2 or (3)	12
	DLR191910	19-1/2	19	16	13-1/2	10-1/8	24"	1, 2, MR2, ③or OS4	15
$^{\dagger}$	DLR221910	22	19-1/2	18	14	10-1/8	27"	1, 2, MR2, ③, 4 or 5	14
	DLR252210	25	22	21	15-3/4	10-1/8	30"	1, 2, MR2, ③, 4 or 5	19
$^{\dagger}$	DLR252212	25	22	21	15-3/4	12-1/8	30"	1, 2, MR2, ③, 4 or 5	19



LR15173



LRAD19193



DLR2522121

LR1716, LR2522, DLR191910 and DLR252210 underside is fully protected by heavy duty Sound Guard<sup>®</sup> undercoating. Other sinks are fully undercoated.

\* Available in 4 to 6-1/2 inch depths.

\*\* Not available with our Quick-Clip mounting system.

#### Lustertone® and Pacemaker® Lavatory Sinks

- 18 gauge stainless steel (model LLVR1916)
- 20 gauge stainless steel (model PSLVR1916)
- Bowl depth: 6"

**č** 

- With overflow assembly
- Drain opening: 1-1/2"

Arranged for standard lavatory type drain fitting



LLVR1916CS3



PSLVR1916CS3

Model Number	Overa (incl L	III Size nes) W	L	Bowl Siz (inches) W	e D	Minimum Cabinet Size	Faucet Holes	Shipping WT. LBS.
† LLVR1916	19-5/8	16-3/4	15-1/2	11-3/8	6	24	1, 2, (3) or CS3	8
<b>PSLVR1916</b>	19	17	15-1/2	11-3/8	6	24	1, 2, 3 or CS3	8
<b>PSLVR1917</b>	19	17	16	11-1/2	6-1/8	24	1, 2, 3 or CS3	9-1/2

O Indicates standard number of faucet holes.

For a complete listing of Elkay sinks for use in a wide variety of general applications, visit elkayusa.com.

Cutout size is 5/8" less than overall size with 1-1/2" radius corners, for all drop-in sinks





## With Elkay, Anything is Possible

As demonstrated in the pages of this catalog, Elkay offers an extensive line of stainless steel sinks for just about every commercial application. However, sometimes a sink's function and size is far from standard, and a **custom** product is required. With an exacting attention to detail and our superior hand fabrication capabilities, our custom department is able to create almost anything. And as the world's leading stainless steel sink source, we have what it takes to see your one-of-a-kind design through to perfection.

# Get the Best Deals on ELKAY Sinks at Air Delights!





### **COUNTERTOPS**

Elkay custom counter- tops and custom sink tops are fabricated to your exact specifications from the finest stainless steel. Built to provide the most seamless appearance possible, Elkay Custom Countertops feature one-piece construction, which is welded, ground and polished smooth in place with intersections of 1/4" radius. And our custom countertops and custom sink tops are available with a satin lustrous hand polished or matte finish, each providing a stunning look that stands the test of time.

# SCULLERY

The Elkay scullery sinks in the Foodservice and Service & Utility sections of this catalog can handle most commercial kitchen requirements; but if you need one that is wider or narrower, deeper or shallower, or with a different size drainboard or backsplash, we will make it just for you! **For detailed information on our custom scullery sink capabilities, please contact your Elkay sales representative.** Note: Non-standard hole configurations for our Sturdibilt and Weldbilt models can be seen on page 51.

# **MODIFIED STANDARD INSTITUTIONAL**

Our custom sink capabilities go beyond countertops and scullery sinks. In fact, it extends throughout our entire commercial line. So if you have a unique application in the lavatory, or need a one-of-a kind sink for your service area, give us a call. We have the ability to hand fabricate a bowl to the exact size, shape and depth that you require.

# YOU IMAGINE IT. WE BUILD IT.

Elkay offers a revolutionary capability that allows you to design stainless steel, one-of-a-kind creations. Our new Elkay Technology Center sets you free to design plumbing fixtures that turn what your customers envision into reality.

# **SPECIALTY SINKS**

In addition to our custom sink production abilities, Elkay offers an array of products for special applications including Sacristy sinks, cup sinks and **stainless steel cabinet sink tops and lavatory tops** for cabinet, wall mounting or leg support installations.

**Sacristy Sinks.** 18 gauge, Type 304 stainless steel. Sacristy cover has a piano type hinge, cross, cylinder lock and keys. Many of our general use models can be modified for use as a sacristy sink.

**Cup Sinks.** 16 gauge, Type 316 stainless steel, Elkay cup sinks feature a self-rimmed design. Drain is 1-1/2" IPS x 2-1/4" long Type 316 stainless steel nipple with cross bar. Available in 3 sizes:


- CUPR 4 (4" bowl, 6-3/8" overall, 3 lbs.)
- CUPR 5 (5" bowl, 7-3/8" overall, 3 lbs.)
- CUPR 6 (6-1/2" bowl, 8-7/8" overall, 4 lbs.)


















For a complete listing of our available faucets see our Commercial Faucets Full Line Catalog

FAUCETS



#### **ELECTRONIC DECK MOUNT**

- Dual power AC and battery
- Adjustable sensor range
- Gooseneck spout
- 2.0 gpm laminar flow aerator
- Chrome plated finish
- Solid brass construction
- Vandal-resistant and water-resistant sensor control module
- Adjustable shut-off delay
- Adjustable time-out feature



Model Number	Spout Reach	Power	Shipping WT. LBS.
LKB721C	5-3/8"	AC/Battery	7



#### **ELECTRONIC WALL MOUNT**

- Dual power AC and battery
- Adjustable sensor range
- Gooseneck spout
- 2.0 gpm laminar flow aerator
- Chrome plated finish
- Solid brass construction
- Vandal-resistant and water-resistant sensor control module
- Adjustable shut-off delay

Adjustable time-out feature

	Spout	I	Shipping
Model Number	Reach	Power	WT. LBS.
LKB722C	5-3/8"	AC/Battery	8



# Get the Best Deals on ELKAY Parts at Air Delights!



For a complete listing of our available faucets see our Commercial Faucets Full Line Catalog



#### BACKSPLASH MOUNTING KIT



I K723

**LKMK462** For installation of wall-mount faucets onto stainless steel backsplash. Includes 2 ea. of 1/2" nipples, 1/2" NPT by 1/2" sweat ells, washers and lock nuts. 1 lb.

### SENSOR OPERATED FAUCET ACCESSORIES

#### **MIXING VALVES**

LK724

Anti-scald thermostatic mixing valve with nickel plated brass body, 1/2" SWT inlets LK723 and outlet connections, check valves on inlets and mixed temperature range of 80°-120°F. Certified under ASSE 1016. Ship Wt. 2 lbs.

LK724 Mechanical mixing valve with C.P. brass body, 1/2" inlets and outlet connections, and check valves on inlets. Ship Wt. 1 lb.





LK399A



LK395A



LK396A

# **VALVE AND SPOUTS**

#### **Knee Action and Foot Pedal Valves**

Chrome plated wall hung **knee operated valve**, 1/2" I.P.S. inlets and 3/8" IPS outlet, with LK397C enameled iron wall bracket and mounting package. Mounting package includes (2) stops, (2) values and (2) wall flanges, tapped for 1/2" IPS inlets and outlets Ship Wt. 14 lbs.

- LK398C Chrome plated wall hung double foot pedal valve (14" from wall to tip of pedals), 1/2" IPS inlets and 3/8" IPS outlet, and mounting package. Mounting package includes (2) angle stops and wall flanges. Ship Wt. 9 lbs.
- LK399A Rough chrome plated floor mount double foot pedal valve, tapped 1/2" IPS inlets and 1/2" IPS outlet. Pedals are CP and color indexed. Ship Wt. 3 lbs.

#### Spouts for use with Knee Action and **Foot Pedal Valves**

- LK395A Chrome plated **back mount** swing 8-1/4" high gooseneck spout with vandal-resistant anti-hose aerator (4-7/8" from wall to outlet), and 1/2" IPS female flanged inlet. Furnished with 1/2" male thread by 1/2" SWT copper brass elbow, 1/2" nipple, washer, and locknut. Ship Wt. 3 lbs.
- LK396A Chrome plated **deck mount** rigid 10-3/4" high gooseneck spout with vandal-resistant anti-hose aerator (6-1/4" from base to spout outlet) and 1/2" ID coupling nut. Ship Wt. 3 lbs.

Get the Best Deals on ELKAY Parts at Air Delights!







# Get the Best Deals on ELKAY Parts at Air Delights!

#### 3-1/2" DRAIN FITTINGS

LK2	Chrome plated brass with rubber stopper and 1-1/2" O.D. 4" chrome plated brass tailpiece. Ship Wt. 1 lb.
LK18	Chrome plated with 3" perforated grid strainer and 1-1/2" O.D. 4" chrome plated brass tailpiece. Ship Wt. 1 lb.
LK18B	Same as LK18, except with Type 304 stainless steel body, strainer and tailpiece. Ship Wt. 1 lb.
LKAD18	Same as LK18, except with chrome plated brass offset 1-1/2" O.D. 4" tailpiece. ADA Compliant. Ship Wt. 2 lbs.
LKVR18	Same as LK18, except with 3" vandal-resistant perforated grid strainer. Ship Wt. 1 lb.
LKVR18B	Same as LK18B, except with 3" vandal-resistant perforated grid strainer. Ship Wt. 1 lb.
LK35	Strainer for <b>3-1/2" opening</b> , 4-1/2" top diameter. Stainless steel body, conical stainless steel basket strainer with flex stem and rubber stopper. Chrome plated brass 1-1/2" O.D. 4" tailpiece. Ship Wt5 lb.
LK35B	All stainless steel duo strainer for <b>3-1/2</b> " <b>opening</b> , 4-1/2" top diameter. Stainless body, conical stainless steel basket strainer with flex stem and rubber stopper. Brass coupling nut and 1-1/2" O.D. 4" stainless steel tailpiece. Ship Wt. 1 lb.
LKAD35	Similar to LK35, except comes with chrome plated brass offset drain, 1-1/2" O.D. 4" tailpiece. <i>ADA Compliant.</i> Ship Wt. 2.75 lbs.
LK173	Adjustable "P" trap standard for 3-1/2" opening, cast iron enameled inside, 3" iron pipe outlet with bronze cleanout plug and floor support flange with adjustable nipple. Chrome plated metal perforated grid strainer. Ship Wt. 20 lbs.
LK335	Same as LK35B, except Type 316 stainless steel.
LK372	Same as LK18B, except Type 316 stainless steel.



LK372

LK335

# Get the Best Deals on ELKAY Parts at Air Delights!

Shop Now!





I K24RT

LK86RT

LK27

#### 2" - 2-3/8" DRAIN FITTINGS

Chrome plated brass. Rubber stopper and 1-1/2" O.D. 4" tailpiece. Ship Wt. 1 lb.
Chrome plated stamped brass drain outlet fitting for <b>2" opening</b> , 3" top diameter with 2" perforated grid strainer and 1-1/2" O.D. 4" tailpiece. Ship Wt75 lb.

Same as LK8, except with 1-1/4" O.D. tailpiece. Ship Wt. .75 lb.

Chrome plated brass beehive strainer for 2" opening with 1-1/2" O.D. 4" brass tailpiece. Ship Wt. 1.5 lbs.

Same as LK1 except stainless steel stamped drain outlet fitting. Ship Wt. 1 lb.

Drain outlet fitting with perforated grid and rubber stopper for **2" opening**. Type 316 body and 1-1/2" O.D. tailpiece. Ship Wt. .75 lb.

Same as LK8, except Type 316 stainless steel. Ship Wt. .75 lb.



#### 1-1/2" - 1-5/8" DRAIN FITTINGS

Chrome plated brass lavatory drain outlet fitting with perforated grid. Arranged for overflow. **1-1/2" opening** and 1-1/4" overall diameter. Comes with chrome plated cast brass elbow and 1-1/4" O.D. chrome plated brass offset tailpiece. ADA Compliant. Ship Wt. 1.25 lbs. LKAD174LO Same as LKAD174 except not arranged for overflow. Ship Wt. 1 lb.

> Chrome plated brass lavatory drain outlet fitting, arranged for overflow, 1-1/2" opening with perforated grid and 1-1/4" O.D. 6" tailpiece. Ship Wt. 1 lb.

- Same as LK174 except not arranged for overflow. Ship Wt. 1 lb.
- Chrome plated brass drain outlet fitting, arranged for overflow, 1-1/2" opening with rubber stopper, ring, chain and 1-1/4" O.D. 5" tailpiece. Ship Wt. 1 lb.
- 3-1/2" DRAIN FITTINGS with LEVER HANDLE

LK24RT

LK25RT

LK27

Rotary lever operated drain outlet fitting for 3-1/2" opening, 4-1/8" O.D. top stainless steel flange with brass body, stainless steel perforated grid, chrome plated brass 1-1/2" O.D. 4" tailpiece and stainless steel lever arm. Ship Wt. 4 lbs.

Same as LK24RT, except with chrome plated brass 2" O.D. 4" tailpiece. Ship Wt. 4 lbs.

Lever operated drain outlet fitting for **3-1/2" opening**, 4-1/2" O.D. top stainless steel flange with brass body, conical stainless steel basket strainer with flex stem and rubber stopper, and chrome plated brass, 1-1/2" O.D. 4" tailpiece. Ship Wt. 3 lbs.

#### 3-1/2" DRAIN FITTINGS with LEVER HANDLE and OVERFLOW

I K86RT Same as LK24RT, except with 1-1/4" O.D. chrome plated brass connected overflow with stainless steel overflow faceplate. Ship Wt. 6 lbs. LK87RT

Same as LK86RT, except with chrome plated brass 2" O.D. 4" tailpiece. Ship Wt. 6 lbs.



## Get the Best Deals on ELKAY Parts at Air Delights!

Shop Now!




# ELKAY

SCULLERY NON-STANDARD HOLE CONFIGURATIONS


# Sturdibilt<sup>®</sup> and Weldbilt<sup>®</sup> Scullery Sinks with Non-Standard Hole Configurations

#### **Single Compartment Scullery Hole Chart**



Examples: SS 82300F\_ and WNSF 82300F\_

#### **Triple Compartment Scullery Hole Chart**



Examples: SS 8372 LOF 3 and WNSF 8372 ROF 3

#### **Elkay Values**

- We are in business forever
- Our strength is in our people
- We value quality in all we do
- Knowledge empowers
- Making a profit is an honorable endeavor
- Our word is our bond

#### American Pride. A Lifetime Tradition.

Like your family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been an American-owned and operated company, providing thousands of jobs that support our families and communities. We are proud to say ELKAY USA.



Get the Best Deals on Elkay Parts & Products at Air Delights!

Shop Now!



10.04

#### Coast-To-Coast Elkay Sales Network

Our national sales presence and extensive distributor base provide excellent service and convenience. For the name of your nearest Elkay Sales Rep or Wholesaler:

- Visit the "Where to Buy" area on elkayusa.com
- Call our customer service department at 630.572.3192

#### Elkay Technical Support

- Help is always just "One Call" away.
- Trained factory technicians available during business hours,
   5 days a week
- 98% of technical service inquiries handled on the first call

#### Visit elkayusa.com

- Up-to-date product specification sheets
- Current catalog and pricing
- Local sales rep locator
- Warranty information
- Where to buy our products
- Service information
- How to contact Elkay

Throughout the birth and growth of the Elkay plumbing products group, the leadership and vision of Elkay's founders has always been maintained: provide better customer service, higher quality and more innovation than our competitors. Our sinks are no exception. We invite you to learn more about our products and services.

#### **Contact Information**

Web Site: elkayusa.com Corporate Headquarters: 630.574.8484 Customer Service: 630.572.3192 Fax: 630.574.5012

2222 Camden Court Oak Brook, Illinois 60523